

**talitech**



## DELIVERY PROGRAM UNIQ

a smart balustrade masterpiece



KM 686207  
BS 6180:2011



**bimobject**®



# UNIQ

*the smartest profile for glass balustrades*

The new generation of glass balustrade profiles isn't just called UNIQ. The patented clamping of the glass without wedges and rubbers, the adjustability on rough surfaces, the hollow design and the quick and easy assembly are all unique and smart characteristics that save time and money.

UNIQ provides the perfect profile for any balustrade. Suitable for assembly on or against the floor, for finished or rough concrete, steel or wood floors, and for line loads of 0.36, 0.74, 1.5 and 3kN/m.

The detailed information in this brochure is also available on the website [www.uniq-balustrades.com](http://www.uniq-balustrades.com)

UNIQ profiles are an innovation from SB-Railing, part of IMS Nederland. Since 1954, this company has been providing semi-manufactured steel, stainless steel and aluminum products.

[www.ims-nederland.biz](http://www.ims-nederland.biz)

IMS Nederland B.V. is  
ISO 9001:2008 and CE certified.



# INDEX


	Page		Page		
	UNIQ SB-O1	18		UNIQ SB-O2S	50
	UNIQ SB-O2	22		UNIQ SB-A1S	54
	UNIQ SB-O3	26		UNIQ SB-A2S	58
	UNIQ SB-A1	30		UNIQ SB-OXS	62
	UNIQ SB-A2	34	 Anchor Fisher / Mounting tools	66	
	UNIQ SB-A3	38		Slotted Tube System	70
	UNIQ SB-O 0.5S	42		Glass Clips	74
	UNIQ SB-O1S	46			

“

ALL UNIQ PROFILES ARE AVAILABLE AS BIM  
MODEL. DOWNLOAD THEM ON OUR WEBSITE  
[WWW.UNIQ-BALUSTRADES.COM](http://WWW.UNIQ-BALUSTRADES.COM)

*Errors and omissions are excluded. UNIQ reserves the right to make changes. Products may differ from images shown.*

## 6 REASONS TO CHOOSE UNIQ





## SMART CLAMPING



The patented clamping strip holds the glass securely in place. The lack of wedges means no stress in the glass, with the tension distributed evenly across the entire pane.

## ADJUSTABLE



The profiles are secured via adjustable nuts, meaning that the profiles are always level and the glass is always straight, no matter how uneven the surface.

## QUICK ASSEMBLY



Assembling a balustrade has never been so quick and easy: secure the profile, put the glass in place, apply the clamping strip and tighten the bolts. That's it!

## SAFE



The clamping strip guarantees the glass will never come loose. It's the ultimate in safety.

## LIGHT AND STRONG



The sophisticated hollow design makes the profiles lighter and stronger. It's the best choice both, structurally and financially.

## ELEGANT FINISHING



The lack of rubbers ensures a stylish look. Various covers are available for finishing the floor and front side: simply click them into place.



# ABOUT UNIQ

---

## UNIQ IS THE EYE FOR DETAIL

Glass balustrades are very beautiful objects. Transparent and almost invisible, the glass becomes one with the floor: an effect the UNIQ system has absolutely perfected. The finishing has also been taken to a whole new level. UNIQ is the basis for safe balustrades in their most beautiful form.

## NO MORE RUBBERS

To ensure the floor blends seamlessly into the glass, UNIQ uses no ugly rubbers. This creates a smooth, stylish finish that elegantly accentuates any architectural style.

## FINISHING

A variety of aluminium covers can be easily clicked onto the base profile. Covers are available for both the floor side and the front side to ensure the perfect finish for your balustrade.

## STAINLESS STEEL LOOK OR COLOUR

UNIQ profiles and covers are delivered as standard in a stainless steel look finish. If desired, they can also be delivered brute, so any colour can be chosen to ensure the profile perfectly suits any kind of floor.

A stunning look combined with safety and easy assembly: that's UNIQ!

## UNIQ IS THE UNIQUE CLAMPING STRIP

As simple and elegant as they may look, a huge amount of technology goes into every glass balustrade. The UNIQ system features a host of new developments based on cuttingedge insight and ever-stricter requirements.

## EASY ASSEMBLY

It's easy to assemble a UNIQ profile:

- Secure the profile with the floor anchors
- Put the glass in place
- Place the clamp strip between the glass and the profile
- Screw in the special, pre-mounted bolts from the top side and walk way side.

Safety combined with easy assembly and a stunning look: that's UNIQ!

# TESTS | CERTIFICATIONS

UNIQ profiles have been tested by BSI



KM 686207  
BS 6180:2011

**bsi.**



## Kitemark™ Certificate

This is to certify that:  
IMS Nederland B.V.  
Gildenweg 21  
3334 KC Zwijndrecht  
The Netherlands

Holds Certificate Number: KM 686207

In respect of:  
**BS 6180:2011**  
Protective Barrier Systems constructed from metal and glass

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

Chris Lewis - Certification Director, Product Certification

First Issued: 2018-08-23  
Latest Issue: 2018-08-23

Effective Date: 2018-08-23  
Expiry Date: 2021-08-22

Page: 1 of 2



...making excellence a habit®

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

## Kitemark™ Certificate

No. KM 686207

**BS 6180:2011 - Barriers in and about buildings.**

This certificate covers the following barrier systems

System	Suitability/Duty Rating
SB-O 0.5S	BSI report ref. 8871705
SB-O 1S	BSI report ref. 8871705
SB-O 1	BSI report ref. 8871705
SB-O 2	BSI report ref. 8871705
SB-O 3	BSI report ref. 8871705
SB-A 1	BSI report ref. 8871705
SB-A 2	BSI report ref. 8871705
SB-A 3	BSI report ref. 8871705

BSI report ref. 8871705  
BSI report ref. 8871705



First Issued: 2018-08-23  
Latest Issue: 2018-08-23

Effective Date: 2018-08-23  
Expiry Date: 2021-08-22

Page: 2 of 2

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.  
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.  
A member of BSI Group of Companies.

# HARBOUR VILLAGE | HET ZILVEREN SCHOR

*chooses UNIQ smart balustrades*

In the Dutch province Zeeland, near Arnemuiden, a park is being constructed featuring 82 luxurious holiday villas. For this project, a special profile was created for the glass balustrades based on the UNIQ principle.

The client, Glascentrum J. Goemaat BV from Goedereede, provided approximately 3000 metres of glass balustrades as well as the aluminium glass frames.

Director Jan Goemaat explains why they opted for the UNIQ principle: "When I looked at the drawings of the UNIQ profiles – at the time still in development – I immediately saw what good concept it is. After a great deal of consultation with our clients, and together with the people at SB-Railing, we developed a suitable solution for the balustrades used for the villas at Zilveren Schor, which required a special mounting method. I am very satisfied with our collaboration and the end result."





“

WHEN I LOOKED AT THE DRAWINGS  
OF THE UNIQ PROFILES – AT THE  
TIME STILL IN DEVELOPMENT –  
I IMMEDIATELY SAW WHAT  
A GOOD CONCEPT IT IS.

## UNIQUE CLAMPING STRIP

The patented, continuous clamping strip makes the UNIQ system truly unique. With this clamping strip, the way the glass is held in place is substantially different from other systems, which brings significant benefits.



### UNIQUE IN MOUNTING AND POSITIONING POSSIBILITIES

The assembly is also unique. In addition to structural anchors, the profiles are mounted with a second row of anchors so that it can be leveled. Because the inside of the profile is square, the glass will stand straight. The glass is completely and evenly clamped with the patented clamping strip, which avoids high tension in the glass. By adjusting the set / locking bolts of the clamping strip, small deviations in the position or thickness of the glass can be solved.

### DOUBLE SAFETY

The continuous clamping strip is secured in two places. Cogging on both the clamping strip and the profile works as the first locking. The tightening of the specially designed bolts ensures the second locking. The glass is now safely secured and can't come loose.

Gently tapping the clamping strip



“  
SAFETY COMBINED WITH  
EASY MOUNTING:  
THAT'S UNIQ


By adjusting the set / locking bolts of the clamping strip, small deviations in the position or thickness of the glass can be solved.



The continuous clamping strip is clearly visible

---









## MOUNTING UNIQ STEP BY STEP









Check the instruction video

# PROFILE MOUNTING

## PROFILE MOUNTING SB-O1 / SB-O2 / SB-O3 / SB-A1 / SB-A2 / SB-A3

SB-01 / SB-02 / SB-03	1 - DRILL HOLES	2 - PLACE ANCHORS AND ADJUSTING NUTS	3 - INSTALL PROFILE	4 - ADJUST PROFILE AND TIGHTEN BOLTS
<b>ANCHOR INDOOR</b> SB-01 : FIS A M10x170 + Injection FIS SB 390 S SB-02 : FIS A M10x170 + Injection FIS SB 390 S SB-03 : FIS A M10x200 + Injection FIS SB 390 S <b>ANCHOR OUTDOOR</b> SB-01 : FIS A M10x170 + Injection FIS SB 390 S A4 SB-02 : FIS A M10x170 + Injection FIS SB 390 S A4 SB-03 : FIS A M10x200 + Injection FIS SB 390 S A4				
<b>DILATATION (OUTDOOR)</b>  4mm min.				
<b>SB-A1 / SB-A2 / SB-A3</b> <b>ANCHOR INDOOR</b> SB-A1 : FIS A M10x150 + Injection FIS SB 390 S SB-A2 : FIS A M12x210 + Injection FIS SB 390 S SB-A3 : FIS A M12x210 + Injection FIS SB 390 S <b>ANCHOR OUTDOOR</b> SB-A1 : FIS A M10x150 + Injection FIS SB 390 S A4 SB-A2 : FIS A M12x210 + Injection FIS SB 390 S A4 SB-A3 : FIS A M12x210 + Injection FIS SB 390 S A4				
<b>DILATATION (OUTDOOR)</b>  4mm min.				

## PROFILE MOUNTING SB-O1S / SB-O 0.5S / SB-A1S

SB-O1S / SB-O 0.5S	1 - DRILL HOLES	2 - INSTALL PROFILE	3 - TIGHTEN BOLTS	ASSEMBLY INSTRUCTION VIDEO
<b>ANCHOR INDOOR</b> SB-O1S : FBS 12x130/30 US SB-O 0.5S : FBS 10x120/35 US <b>ANCHOR OUTDOOR</b> SB-O1S : FBS 12x130/30 US SKAA SB-O 0.5S : FBS 10x120/35 US SKAA				
<b>DILATATION (OUTDOOR)</b>  4mm min.				
<b>SB-A1S</b> <b>ANCHOR INDOOR</b> SB-A1S : FBS 110x120/35 SK <b>ANCHOR OUTDOOR</b> SB-A1S : FBS 10x110/25 SK AA				<b>PAY ATTENTION</b> The UNIQ profiles comply with international regulations. The assembly and selection of the fasteners remain at all times the responsibility of the person who assembles the profiles.
<b>DILATATION (OUTDOOR)</b>  4mm min.				




TALITECH IS A FAMILY RUN BUSINESS ESTABLISHED IN 1993 BY THE O'SULLIVAN FAMILY, NOW IN ITS 2ND GENERATION STAGE, BASED ON THE OUTSKIRTS OF CORK CITY..


With many years' experience, Talitech prides itself on providing high quality products, competitive pricing, high stock levels and an efficient delivery service. We aim to give you and your customer the peace of mind you deserve. Here at Talitech we believe that it is essential for us to only be your supplier and not your competitor.

Talitech is Irelands Premier Supplier and Distributor of Decorative Metalwork Supplies and Components such as railheads, collars, scrolls, rings and much more that are used in the fabrication of gates, railings, stairs, balconies & furniture. As we supply only in component form this means you can pick and choose any of our items to make your desired finished product! We are very proud to be the Irish stockists of the "UNIQ" Frameless Glass Balustrade structural glazing system.

“

YOUR HOME SURROUNDINGS  
WILL BE GREATLY ENHANCED  
BY THE USE OF A  
TALITECH PRODUCT.







Visible is the rear cover

“

A BALUSTRADE WITH UNIQ PROFILES LOOKS  
VERY SMOOTH. NO VISIBLE RUBBERS AND  
FINISHED WITH A BEAUTIFUL COVER.




# product overview

Model	Glass	Profile adjustable	Page
	SB-O1 0.74 kN Top Mounted 15 8/8/pvb 10/10/pvb	✓	18
	SB-O2 1.5 kN Top Mounted 19 10/10/pvb 12/12/pvb	✓	22
	SB-O3 3 kN Top Mounted 12/12/pvb 8/8/pvb 15/15/pvb 10/10/10/pvb	✓	26
	SB-O 0.5S 0.36 kN Top Mounted 6/6/pvb 8/8/pvb		42
	SB-O1S 0.74 kN Top Mounted 15 8/8/pvb 10/10/pvb		46
	SB-O2S 1.5 kN Top Mounted 19 10/10/pvb 12/12/pvb		50
	SB-A1 0.74 kN Side Mounted 15 8/8/pvb 10/10/pvb	✓	30
	SB-A2 1.5 kN Side Mounted 19 10/10/pvb 12/12/pvb	✓	34
	SB-A3 3 kN Side Mounted 12/12/pvb 8/8/pvb 15/15/pvb 10/10/10/pvb	✓	38
	SB-A1S 0.74 kN Side Mounted 15 8/8/pvb 10/10/pvb		54
	SB-A2S 1.5 kN Side Mounted 19 10/10/pvb 12/12/pvb		58
	SB-OXS Top Mounted 8 12 4/4/pvb 6/6/pvb		62

## TOP MOUNTED (O)






## SIDE MOUNTED (A)



# UNIQ SB-01 | TOP MONTAGE

**0.74 kN**





## BASE PROFILE

2089036 SB-01 Brute

2089038 SB-01 Stainless look

L  
4000 mm  
4000 mm



## GLASS MOUNTING SET (GMS)

2020151 GMS-L1- 10/10/pvb



2028329 GMS-XL1 - 8/8/pvb

2028334 GMS-XXL1 - 15

L  
4000 mm  
4000 mm  
4000 mm

### Content:

Clamping strip + glass blocks + required packing



## REAR COVER

2089104 CR-L1 - 10/10/pvb - Brute

2089358 CR-L1 - 10/10/pvb - Stainless look

2089106 CR-XL1 - 8/8/pvb - Brute

2089359 CR-XL1 - 8/8/pvb - Stainless look

2089108 CR-XXL1 - 15 - Brute


2089360 CR-XXL1 - 15 - Stainless look

B L  
21 4000 mm  
21 4000 mm  
25 4000 mm  
25 4000 mm  
28 4000 mm  
28 4000 mm

## OPTIONAL FOR REAR COVER

1012309 Rubber for the cover rear

L  
1000 mm



### FRONT COVER



- 2089088 CF-100 Brute  
2089350 CF-100 Stainless look

L  
4000 mm  
4000 mm

### OPTIONAL FOR FRONT COVER


- 1012311 Rubber for the cover front

L  
1000 mm



### PLATING COVERS


	D	B	L
2089090 CF-103 Brute	3	25	4000 mm
2089351 CF-103 Stainless look	3	25	4000 mm
2089092 CF-112 Brute	12	34	4000 mm
2089352 CF-112 Stainless look	12	34	4000 mm
2089094 CF-120 Brute	20	42	4000 mm
2089353 CF-120 Stainless look	20	42	4000 mm



### END COVERS

- 2033435 SB-O1 end cover left, Brute  
2033439 SB-O1 end cover left, Stainless look  
2033436 SB-O1 end cover right, Brute  
2033440 SB-O1 end cover right, Stainless look

Small color differences between end caps and profiles are possible.



### CORNER PIECES

- 2090626 SB-O1 Outside corner Brute  
2090625 SB-O1 Outside corner Stainless look  
  
2090622 SB-O1 Inside corner Brute  
2090490 SB-O1 Inside corner Stainless look










### ANCHOR SB-01

- 2008327 FISCHER injection mortar SB 390 S  
2089149 FISCHER RSB 10 MINI capsule (alternative)  
2089819 FISCHER RGM 10x170 Threaded rod indoor  
2089820 FISCHER RGM 10x170 Threaded rod A4 outdoor




Mounting tools on page 68

# UNIQ SB-01 | INFO







# UNIQ SB-02 | TOP MONTAGE 1.5 kN



## BASE PROFILE

- 2089514 SB-O2 Brute  
2089516 SB-O2 Stainless look

L  
4000 mm  
4000 mm





## GLASS MOUNTING SET (GMS)

- 2028356 GMS-L2 - 12/12/pvb  
2028588 GMS-XXL3 - 10/10/pvb  
2028588 GMS-XXL3 - 19

L  
4000 mm  
4000 mm  
4000 mm

### Content:

Clamping strip + glass blocks + required packing



## REAR COVER


- |  |    |         |
|--|----|---------|
| 2089106 CR-XL1 - 12/12/pvb - Brute           | 25 | 4000 mm |
| 2089359 CR-XL1 - 12/12/pvb - Stainless look  | 25 | 4000 mm |
| 2089620 CR-XXL3 - 10/10/pvb - Brute          | 31 | 4000 mm |
| 2089622 CR-XXL3 - 10/10/pvb - Stainless look | 31 | 4000 mm |
| 2089620 CR-XXL3 - 19 - Brute                 | 31 | 4000 mm |
| 2089622 CR-XXL3 - 19 - Stainless look        | 31 | 4000 mm |

B L  
4000 mm  
4000 mm  
4000 mm  
4000 mm  
4000 mm  
4000 mm

## OPTIONAL FOR REAR COVER

- 1012309 Rubber for the cover rear

L  
1000 mm



### FRONT COVER



- 2089096 CF-300 Brute  
2089354 CF-300 Stainless look

L  
4000 mm  
4000 mm

### OPTIONAL FOR FRONT COVER


- 1012311 Rubber for the cover front

L  
1000 mm



### PLATING COVERS


	D	B	L
2089098 CF-303 Brute	3	35	4000 mm
2089355 CF-303 Stainless look	3	35	4000 mm
2089100 CF-312 Brute	12	44	4000 mm
2089356 CF-312 Stainless look	12	44	4000 mm
2089102 CF-320 Brute	20	52	4000 mm
2089357 CF-320 Stainless look	20	52	4000 mm



### END COVERS

- 2090564 SB-O2 end cover left, Brute  
2090554 SB-O2 end cover left, Stainless look  
2090569 SB-O2 end cover right, Brute  
2090559 SB-O2 end cover right, Stainless look

Small color differences between end caps and profiles are possible.



### CORNER PIECES

- 2090632 SB-O2 Outside corner Brute  
2090631 SB-O2 Outside corner Stainless look  
  
2090630 SB-O2 Inside corner Brute  
2090493 SB-O2 Inside corner Stainless look








### ANCHOR SB-02

- 2008327 FISCHER injection mortar SB 390 S  
2089149 FISCHER RSB 10 MINI capsule (alternative)  
2089819 FISCHER RGM 10x170 Threaded rod indoor  
2089820 FISCHER RGM 10x170 Threaded rod A4 outdoor




Mounting tools on page 68

# UNIQ SB-02 | INFO







# UNIQ SB-03 | TOP MONTAGE 3 kN



## BASE PROFILE

- 2089043 SB-O3 Brute  
2089045 SB-O3 Stainless look

L  
4000 mm  
4000 mm





## GLASS MOUNTING SET (GMS)

- 2028527 GMS-XL3 - 12/12/pvb  
2028527 GMS-XL3 - 8/8/8/pvb  
2028420 GMS-L3 - 15/15/pvb  
2028420 GMS-L3 - 10/10/10/pvb

L  
4000 mm  
4000 mm  
4000 mm  
4000 mm

### Content:

Clamping strip + glass blocks + required packing





## REAR COVER

- |   |    |         |
|---|----|---------|
| 2089114 CR-XL3 - 12/12/pvb - Brute            | 33 | 4000 mm |
| 2089363 CR-XL3 - 12/12/pvb - Stainless look   | 33 | 4000 mm |
| 2089114 CR-XL3 - 8/8/8/pvb - Brute            | 33 | 4000 mm |
| 2089363 CR-XL3 - 8/8/8/pvb - Stainless look   | 33 | 4000 mm |
| 2089112 CR-L3 - 15/15/pvb - Brute             | 27 | 4000 mm |
| 2089362 CR-L3 - 15/15/pvb - Stainless look    | 27 | 4000 mm |
| 2089112 CR-L3 - 10/10/10/pvb - Brute          | 27 | 4000 mm |
| 2089362 CR-L3 - 10/10/10/pvb - Stainless look | 27 | 4000 mm |

B L  
4000 mm  
L  
1000 mm

## OPTIONAL FOR REAR COVER

- 1012309 Rubber for the cover rear



### FRONT COVER



- 2089096 CF-300 Brute  
2089354 CF-300 Stainless look

L  
4000 mm  
4000 mm

### OPTIONAL FOR FRONT COVER



- 1012311 Rubber for the cover front

L  
1000 mm



### PLATING COVERS



	D	B	L
2089098 CF-303 Brute	3	35	4000 mm
2089355 CF-303 Stainless look	3	35	4000 mm
2089100 CF-312 Brute	12	44	4000 mm
2089356 CF-312 Stainless look	12	44	4000 mm
2089102 CF-320 Brute	20	52	4000 mm
2089357 CF-320 Stainless look	20	52	4000 mm



### END COVERS

- 2090565 SB-O3 end cover left, Brute  
2090555 SB-O3 end cover left, Stainless look  
2090570 SB-O3 end cover right, Brute  
2090560 SB-O3 end cover right, Stainless look

Small color differences between end caps and profiles are possible.



### CORNER PIECES

- 2090636 SB-O3 Outside corner Brute  
2090494 SB-O3 Outside corner Stainless look  
  
2090634 SB-O3 Inside corner Brute  
2090495 SB-O3 Inside corner Stainless look










### ANCHOR SB-03

- 2008327 FISCHER injection mortar SB 390 S  
2089149 FISCHER RSB 10 MINI capsule (alternative)  
2089141 FISCHER RGM 10x200 Threaded rod indoor  
2089144 FISCHER RGM 10x200 Threaded rod A4 outdoor




Mounting tools on page 68

# UNIQ SB-03 | INFO







# UNIQ SB-A1 | SIDE MOUNTED 0.74 kN



## BASE PROFILE

- 2089122 SB-A1 Brute  
2062745 SB-A1 Stainless look

L  
4000 mm  
4000 mm





## GLASS MOUNTING SET (GMS)

- 2020151 GMS-L1- 10/10/pvb  
2028329 GMS-XL1 - 8/8/pvb  
2028334 GMS-XXL1 - 15

L  
4000 mm  
4000 mm  
4000 mm

### Content:

Clamping strip + glass blocks + required packing



## REAR COVER

- |  |      |           |
|--|------|-----------|
| 2089104 CR-L1 - 10/10/pvb - Brute          | B 21 | L 4000 mm |
| 2089358 CR-L1 - 10/10/pvb - Stainless look | 21   | 4000 mm   |
| 2089106 CR-XL1 - 8/8/pvb - Brute           | 25   | 4000 mm   |
| 2089359 CR-XL1 - 8/8/pvb - Stainless look  | 25   | 4000 mm   |
| 2089108 CR-XXL1 - 15 - Brute               | 28   | 4000 mm   |
| 2089360 CR-XXL1 - 15 - Stainless look      | 28   | 4000 mm   |


B L  
21 4000 mm  
21 4000 mm  
25 4000 mm  
25 4000 mm  
28 4000 mm  
28 4000 mm

## OPTIONAL FOR REAR COVER

- 1012309 Rubber for the cover rear

L  
1000 mm



Mounting tools on page 68



### FRONT COVER

- 2089088 CF-100 Brute  
2089350 CF-100 Stainless look

L  
4000 mm  
4000 mm





### OPTIONAL FOR FRONT COVER

- 1012311 Rubber for the cover front

L  
1000 mm

### PLATING COVERS


	D	B	L
2089090 CF-103 Brute	3	25	4000 mm
2089351 CF-103 Stainless look	3	25	4000 mm
2089092 CF-112 Brute	12	34	4000 mm
2089352 CF-112 Stainless look	12	34	4000 mm
2089094 CF-120 Brute	20	42	4000 mm
2089353 CF-120 Stainless look	20	42	4000 mm



### END COVERS



- 2033429 SB-A1 end cover left, Brute  
2033433 SB-A1 end cover left, Stainless look  
2033432 SB-A1 end cover right, Brute  
2033434 SB-A1 end cover right, Stainless look

Small color differences between end caps and profiles are possible.



### CORNER PIECES

- 2090606 SB-A1 Outside corner Brute  
2090484 SB-A1 Outside corner Stainless look  
  
2090602 SB-A1 Inside corner Brute  
2090485 SB-A1 Inside corner Stainless look



### COVERCAP CC



- 2089065 COVERCAP CC-225 Brute  
2089067 COVERCAP CC-225 Stainless look




### ANCHOR SB-A1

- 2008327 FISCHER injection mortar SB 390 S  
2089149 FISCHER RSB 10 MINI capsule (alternative)  
2089142 FIS A M 10x150 Threaded rod indoor  
2089814 FIS A M 10x150 Threaded rod A4 outdoor

# UNIQ SB-A1 | INFO








#### ANCHOR SET STANDARD

INDOOR: FIS A MIOX150 + INJECTION FIS SB 390S  
 OUTDOOR: FIS A MIOX150 A4 + INJECTION FIS SB 390S  
 ALTERNATIVE: RG MIOX150 + 2 MINI CAPSULES RS800  
 ALTERNATIVE: CONCRETESCREWS MIOX150 GALVANIZED  
 ALTERNATIVE: MIO BOLT AT A STEELCONSTRUCTION



# UNIQ SB-A2 | SIDE MOUNTED 1.5 kN



## BASE PROFILE

- 2004963 SB-A2 Brute  
2001315 SB-A2 Stainless look

L  
4000 mm  
4000 mm





## GLASS MOUNTING SET (GMS)

- 2028356 GMS-L2- 12/12/pvb  
2028588 GMS-XXL3 - 10/10/pvb  
2028588 GMS-XXL3 - 19

L  
4000 mm  
4000 mm  
4000 mm

### Content:

Clamping strip + glass blocks + required packing



## REAR COVER



- |  |    |         |
|--|----|---------|
| 2089106 CR-XL1 - 12/12/pvb - Brute           | 25 | 4000 mm |
| 2089359 CR-XL1 - 12/12/pvb - Stainless look  | 25 | 4000 mm |
| 2089620 CR-XXL3 - 10/10/pvb - Brute          | 31 | 4000 mm |
| 2089622 CR-XXL3 - 10/10/pvb - Stainless look | 31 | 4000 mm |
| 2089620 CR-XXL3 - 19 - Brute                 | 31 | 4000 mm |
| 2089622 CR-XXL3 - 19 - Stainless look        | 31 | 4000 mm |

B L  
4000 mm  
4000 mm  
4000 mm  
4000 mm  
4000 mm  
4000 mm

## OPTIONAL FOR REAR COVER

- 1012309 Rubber for the cover rear

L  
1000 mm



## FRONT COVER



- 2089096 CF-300 Brute  
2089354 CF-300 Stainless look

L  
4000 mm  
4000 mm

## OPTIONAL FOR FRONT COVER



- 1012311 Rubber for the cover front

L  
1000 mm



## PLATING COVERS


	D	B	L
2089098 CF-303 Brute	3	35	4000 mm
2089355 CF-303 Stainless look	3	35	4000 mm
2089100 CF-312 Brute	12	44	4000 mm
2089356 CF-312 Stainless look	12	44	4000 mm
2089102 CF-320 Brute	20	52	4000 mm
2089357 CF-320 Stainless look	20	52	4000 mm



## END COVERS



- 2090566 SB-A2 end cover left, Brute  
2090556 SB-A2 end cover left, Stainless look  
2090571 SB-A2 end cover right, Brute  
2090561 SB-A2 end cover right, Stainless look

Small color differences between end caps and profiles are possible.



## CORNER PIECES

- 2090612 SB-A2 Outside corner Brute  
2090486 SB-A2 Outside corner Stainless look  
  
2090610 SB-A2 Inside corner Brute  
2090487 SB-A2 Inside corner Stainless look



## COVERCAP CC



- 2089509 COVERCAP CC-240 Brute  
2089511 COVERCAP CC-240 Stainless look




## ANCHOR SB-A2

- 2008327 FISCHER injection mortar SB 390 S6  
2089149 FISCHER RSB 10 MINI capsule (alternative)  
2089140 FIS A M 12x210 Threaded rod indoor  
2089813 FIS A M 12x210 Threaded rod A4 outdoor

## UNIQ SB-A2 | INFO





#### ANCHOR SET STANDARD




INDOOR: FIS A M12X210 + INJECTION FIS SB 390S

OUTDOOR: FIS A M12X210 A4 + INJECTION FIS SB 390S

ALTERNATIVE: RG M12X210 + 2 MINI CAPSULES RS810

ALTERNATIVE: M12 BOLT AT A STEEL CONSTRUCTION

# UNIQ SB-A3 | SIDE MOUNTED 3 kN



## BASE PROFILE



2089512 SB-A3 Brute

2089513 SB-A3 Stainless look

L

4000 mm

4000 mm



## GLASS MOUNTING SET (GMS)

2028527 GMS-XL3 - 12/12/pvb

2028527 GMS-XL3 - 8/8/8/pvb

2028420 GMS-L3 - 15/15/pvb

2028420 GMS-L3 - 10/10/10/pvb

L

4000 mm



4000 mm

4000 mm

4000 mm

## Content:

Clamping strip + glass blocks + required packing



## REAR COVER

2089114 CR-XL3 - 12/12/pvb - Brute

B

4000 mm

2089363 CR-XL3 - 12/12/pvb - Stainless look

4000 mm

2089114 CR-XL3 - 8/8/8/pvb - Brute

4000 mm

2089363 CR-XL3 - 8/8/8/pvb - Stainless look

4000 mm

2089112 CR-L3 - 15/15/pvb - Brute

4000 mm

2089362 CR-L3 - 15/15/pvb - Stainless look

4000 mm

2089112 CR-L3 - 10/10/10/pvb - Brute

4000 mm

2089362 CR-L3 - 10/10/10/pvb - Stainless look

4000 mm

L

27

4000 mm

2089112 CR-L3 - 10/10/10/pvb - Brute

4000 mm



2089362 CR-L3 - 10/10/10/pvb - Stainless look

4000 mm

## OPTIONAL FOR REAR COVER

1012309 Rubber for the cover rear

1000 mm



### FRONT COVER



- 2089096 CF-300 Brute  
2089354 CF-300 Stainless look

L  
4000 mm  
4000 mm

### OPTIONAL FOR FRONT COVER



- 1012311 Rubber for the cover front

L  
1000 mm



### PLATING COVERS


	D	B	L
2089098 CF-303 Brute	3	35	4000 mm
2089355 CF-303 Stainless look	3	35	4000 mm
2089100 CF-312 Brute	12	44	4000 mm
2089356 CF-312 Stainless look	12	44	4000 mm
2089102 CF-320 Brute	20	52	4000 mm
2089357 CF-320 Stainless look	20	52	4000 mm



### END COVERS



- 2090567 SB-A3 end cover left, Brute  
2090557 SB-A3 end cover left, Stainless look  
2090572 SB-A3 end cover right, Brute  
2090562 SB-A3 end cover right, Stainless look

Small color differences between end caps and profiles are possible.



### CORNER PIECES

- 2090616 SB-A3 Outside corner Brute  
2090488 SB-A3 Outside corner Stainless look  
  
2090614 SB-A3 Inside corner Brute  
2090489 SB-A3 Inside corner Stainless look



### COVERCAP CC



- 2089081 COVERCAP CC-260 Brute  
2089083 COVERCAP CC-260 Stainless look




### ANCHOR SB-A3

- 2008327 FISCHER injection mortar SB 390 S  
2089149 FISCHER RSB 10 MINI capsule (alternative)  
2089140 FIS A M 12x210 Threaded rod indoor  
2089813 FIS A M 12x210 Threaded rod A4 outdoor

# UNIQ SB-A3 | INFO








#### ANCHOR SET STANDARD

INDOOR: FIS A M12X210 + INJECTION FIS SB 390S  
 OUTDOOR: FIS A M12X210 A4 + INJECTION FIS SB 390S  
 ALTERNATIVE: RG M12X210 + 2 MINI CAPSULES RSB10  
 ALTERNATIVE: M12 BOLT AT A STEELCONSTRUCTION



# UNIQ SB-O 0.5S | TOP MONTAGE 0.36 KN



## BASE PROFILE

2089015 SB-O 0.5S Brute  
2089017 SB-O 0.5S Stainless look

L  
4000 mm  
4000 mm





## GLASS MOUNTING SET (GMS)

2020151 GMS-L1- 8/8/pvb  
2028329 GMS-XL1 - 6/6/pvb

L  
4000 mm  
4000 mm

### Content:

Clamping strip + glass blocks + required packing



## REAR COVER



2089104 CR-L1 - 8/8/pvb - Brute	B 21	L 4000 mm
2089358 CR-L1 - 8/8/pvb - Stainless look	21	4000 mm
2089106 CR-XL1 - 6/6/pvb - Brute	25	4000 mm
2089359 CR-XL1 - 6/6/pvb - Stainless look	25	4000 mm

B L  
21 4000 mm  
21 4000 mm  
25 4000 mm  
25 4000 mm

## OPTIONAL FOR REAR COVER

1012309 Rubber for the cover rear



L  
1000 mm



## END COVERS

- 2033417 SB-O 0.5S end cover left, Brute  
2033419 SB-O 0.5S end cover left, Stainless look  
2033418 SB-O 0.5S end cover right, Brute  
2033420 SB-O 0.5S end cover right, Stainless look

Small color differences between end caps and profiles are possible.




## CORNER PIECES

- 2090581 SB-O 0.5S Outside corner Brute  
2090498 SB-O 0.5S Outside corner Stainless look  
  
2090577 SB-O 0.5S Inside corner Brute  
2090499 SB-O 0.5S Inside corner Stainless look




## ANCHOR SB-O 0.5S


- 2089145 FISCHER FBS II 10x120/35 US Concrete screw indoor  
2089143 FISCHER FBS II 10x120/35 US Concrete screw outdoor



Mounting tools on page 68

# UNIQ SB-0 0.5S | INFO







**ANCHOR SET STANDARD**  
INDOOR: FBS II 10x120/35 US  
ALTERNATIVE: M10 BOLT AT A STEELCONSTRUCTION

# UNIQ SB-01S | TOP MONTAGE



**0.74 kN**



## BASE PROFILE

- 2089022 SB-01S Brute  
2089024 SB-01S Stainless look

**L**  
4000 mm  
4000 mm





## GLASS MOUNTING SET (GMS)

- 2020151 GMS-L1- 10/10/pvb  
2028329 GMS-XL1 - 8/8/pvb  
2028334 GMS-XXL1 - 15

**L**  
4000 mm  
4000 mm  
4000 mm

### Content:

Clamping strip + glass blocks + required packing



## REAR COVER


- |  |          |    |         |
|--|----------|----|---------|
| 2089104 CR-L1 - 10/10/pvb - Brute          | <b>B</b> | 21 | 4000 mm |
| 2089358 CR-L1 - 10/10/pvb - Stainless look |          | 21 | 4000 mm |
| 2089106 CR-XL1 - 8/8/pvb - Brute           |          | 25 | 4000 mm |
| 2089359 CR-XL1 - 8/8/pvb - Stainless look  |          | 25 | 4000 mm |
| 2089108 CR-XXL1 - 15 - Brute               |          | 28 | 4000 mm |
| 2089360 CR-XXL1 - 15 - Stainless look      |          | 28 | 4000 mm |

**L**  
4000 mm  
4000 mm  
4000 mm  
4000 mm  
4000 mm  
4000 mm



## OPTIONAL FOR REAR COVER

- 1012309 Rubber for the cover rear

**L**  
1000 mm





=end cover left



## END COVERS

- 2033421 SB-O1S end cover left, Brute  
2033423 SB-O1S end cover left, Stainless look  
2033422 SB-O1S end cover right, Brute  
2033424 SB-O1S end cover right, Stainless look

Small color differences between end caps and profiles are possible.




## CORNER PIECES

- 2090593 SB-O1S Outside corner Brute  
2090501 SB-O1S Outside corner Stainless look  
  
2090585 SB-O1S Inside corner Brute  
2090502 SB-O1S Inside corner Stainless look




## ANCHOR SB-01S


- 2089146 FISCHER FBS II 12x130/30 US Concrete screw indoor  
2090469 FISCHER FBS II 12x130/30 US Concrete screw outdoor



Mounting tools on page 68



# UNIQ SB-01S | INFO





# UNIQ SB-02S | TOP MONTAGE



## 1.5 kN



### BASE PROFILE

- 2090302 SB-O2S Brute  
2090303 SB-O2S Stainless look

L  
4000 mm  
4000 mm





### GLASS MOUNTING SET (GMS)

- 2028356 GMS-L2 - 12/12/pvb  
2028588 GMS-XXL3 - 10/10/pvb  
2028588 GMS-XXL3 - 19

L  
4000 mm  
4000 mm  
4000 mm

### Content:

Clamping strip + glass blocks + required packing



### REAR COVER


- 2089106 CR-XL1 - 12/12/pvb - Brute  
2089359 CR-XL1 - 12/12/pvb - Stainless look  
2089620 CR-XXL3 - 19 - Brute  
2089622 CR-XXL3 - 19 - Stainless look

B L  
25 4000 mm  
25 4000 mm  
31 4000 mm  
31 4000 mm

### OPTIONAL FOR REAR COVER

- 1012309 Rubber for the cover rear



L  
1000 mm



## CORNER PIECES

- 2090599 SB-O2S Outside corner Brute  
2090503 SB-O2S Outside corner Stainless look

- 2090600 SB-O2S Inside corner Brute  
2090504 SB-O2S Inside corner Stainless look



## END COVERS

- 2090545 SB-O2S end cover left, Brute  
2090410 SB-O2S end cover left, Stainless look  
2090546 SB-O2S end cover right, Brute  
2090411 SB-O2S end cover right, Stainless look

Small color differences between end caps and profiles are possible.





## ANCHOR SB-02S

- 2090470 FISCHER FBS II 12x110 50/35/10 US Concrete screw indoor  
2090471 FISCHER FBS II 12x110 10/- US A4 Concrete screw outdoor

Mounting tools on page 68




# UNIQ SB-02S | INFO





# UNIQ SB-A1S | SIDE MOUNTED

## 0.74 kN





### BASE PROFILE

- 2089057 SB-A1S Brute  
2089059 SB-A1S Stainless look

L  
4000 mm  
4000 mm

Easy mounting because of the separate leg on the outside of the profile





### GLASS MOUNTING SET (GMS)

- 2028606 GMS-L4- 10/10/pvb  
2028850 GMS-XL4 - 8/8/pvb  
2029977 GMS-XXL4 - 15

L  
4000 mm  
4000 mm  
4000 mm

Content:

Clamping strip + glass blocks + required packing



### REAR COVER



- 2089104 CR-L1 - 10/10/pvb - Brute  
2089358 CR-L1 - 10/10/pvb - Stainless look  
2089106 CR-XL1 - 8/8/pvb - Brute  
2089359 CR-XL1 - 8/8/pvb - Stainless look  
2089108 CR-XXL1 - 15 - Brute  
2089360 CR-XXL1 - 15 - Stainless look

B L  
21 4000 mm  
21 4000 mm  
25 4000 mm  
25 4000 mm  
28 4000 mm  
28 4000 mm

### OPTIONAL FOR REAR COVER

- 1012309 Rubber for the cover rear

L  
1000 mm



### FRONT COVER



- 2089088 CF-100 Brute  
2089350 CF-100 Stainless look

L  
4000 mm  
4000 mm

### OPTIONAL FOR FRONT COVER



- 1012311 Rubber for the cover front

L  
1000 mm



### PLATING COVERS


	D	B	L
2089090 CF-103 Brute	3	25	4000 mm
2089351 CF-103 Stainless look	3	25	4000 mm
2089092 CF-112 Brute	12	34	4000 mm
2089352 CF-112 Stainless look	12	34	4000 mm
2089094 CF-120 Brute	20	42	4000 mm
2089353 CF-120 Stainless look	20	42	4000 mm



### END COVERS

- 2033425 SB-A1S end cover left, Brute  
2033427 SB-A1S end cover left, Stainless look  
2033426 SB-A1S end cover right, Brute  
2033428 SB-A1S end cover right, Stainless look

Small color differences between end caps and profiles are possible.



### CORNER PIECES

- 2090617 SB-A1S Outside corner Brute  
2090496 SB-A1S Outside corner Stainless look  
  
2090618 SB-A1S Inside corner Brute  
2090497 SB-A1S Inside corner Stainless look







### ANCHOR SB-A1S

- 2089821 FBS II 10x120/35 SK Concrete screw indoor  
2074809 FBS II 10x120/35 SK Concrete screw A4 outdoor

Mounting tools on page 68

# UNIQ SB-A1S | INFO








#### ANCHOR SET STANDARD

INDOOR: FBS II 10x120/35 SK

OUTDOOR: FBS II 10x120/35 SK A4

ALTERNATIVE: M10 BOLT AT A STEELCONSTRUCTION

# UNIQ SB-A2S | SIDE MOUNTED 1.5 kN





## BASE PROFILE

- 2090414 SB-A2S Brute  
2090415 SB-A2S Stainless look

L  
4000 mm  
4000 mm

Easy mounting because of the separate leg on the outside of the profile





## GLASS MOUNTING SET (GMS)

- 2090377 GMS-L5 - 12/12/pvb  
2090378 GMS-XL5- 10/10/pvb  
2090378 GMS-XL5 - 19

L  
4000 mm  
4000 mm  
4000 mm

Content:

Clamping strip + glass blocks + required packing



## REAR COVER


- |  |    |         |
|--|----|---------|
| 2089108 CR-XXL1 - 10/10/pvb - Brute          | 28 | 4000 mm |
| 2089360 CR-XXL1 - 10/10/pvb - Stainless look | 28 | 4000 mm |
| 2089106 CR-XL1 - 12/12/pvb - Brute           | 25 | 4000 mm |
| 2089359 CR-XL1 - 12/12/pvb - Stainless look  | 25 | 4000 mm |
| 2089620 CR-XXL3 - 19 - Brute                 | 31 | 4000 mm |
| 2089622 CR-XXL3 - 19 - Stainless look        | 31 | 4000 mm |

B L  
4000 mm  
4000 mm  
4000 mm  
4000 mm  
4000 mm  
4000 mm


## OPTIONAL FOR REAR COVER

- 1012309 Rubber for the cover rear

L  
1000 mm




=end cover left



## END COVERS

- 2090547 SB-A2S end cover left, Brute
- 2090412 SB-A2S end cover left, Stainless look
- 2090548 SB-A2S end cover right, Brute
- 2090413 SB-A2S end cover right, Stainless look

Small color differences between end caps and profiles are possible.



## CORNER PIECES

- 2090620 SB-A2S Outside corner Brute
- 2090619 SB-A2S Outside corner Stainless look
- 2090597 SB-A2S Inside corner Brute
- 2090598 SB-A2S Inside corner Stainless look





## ANCHOR SB-A2S

- 2089821 FBS II 10x120/35 SK Concrete screw indoor
- 2074809 FBS II 10x120/35 SK Concrete screw A4 outdoor

Mounting tools on page 68

# UNIQ SB-A2S | INFO





#### ANCHOR SET STANDARD



INDOOR: FBS II 10x120/35 SK

OUTDOOR: FBS II 10x120/35 SK A4

ALTERNATIVE: M10 BOLT AT A STEELCONSTRUCTION



# UNIQ SB-OXS | TOP MONTAGE

SB-OXS is not suitable for structural or safety purposes.





## BASE PROFILE

- |   |         |
|---|---------|
| L | 4000 mm |
|   | 4000 mm |
- 2090574 SB-OXS Brute  
2089695 SB-OXS Stainless look



## GLASS MOUNTING SET (GMS)

- |   |         |
|---|---------|
| L | 4000 mm |
|   | 4000 mm |
|   | 4000 mm |
|   | 4000 mm |
- 2090155 GMS-S1- 4/4/pvb  
2090156 GMS-XS1- 6/6/pvb  
2090155 GMS-S1 - 8  
2090156 GMS-XS1 - 12




## REAR COVER

- |    |         |
|----|---------|
| B  | L       |
| 21 | 4000 mm |
| 21 | 4000 mm |
| 19 | 4000 mm |
| 19 | 4000 mm |
| 21 | 4000 mm |
| 21 | 4000 mm |
| 19 | 4000 mm |
| 19 | 4000 mm |
- 2089104 CR-L1 - 4/4/pvb - Brute  
2089358 CR-L1 - 4/4/pvb - Stainless look  
2090575 CR-XS1 - 6/6/pvb - Brute  
2089698 CR-XS1 - 6/6/pvb - Stainless look  
2089104 CR-L1 - 8 - Brute  
2089358 CR-L1 - 8 - Stainless look  
2090575 CR-XS1 - 12 - Brute  
2089698 CR-XS1 - 12 -Stainless look


## OPTIONAL FOR REAR COVER

- |   |         |
|---|---------|
| L | 1000 mm |
|---|---------|
- 1012309 Rubber for the cover rear

Mounting tools on page 68



=end cover left




## END COVERS


- 2090568 SB-OXS end cover left, Brute
- 2090558 SB-OXS end cover left, Stainless look
- 2090573 SB-OXS end cover right, Brute
- 2090563 SB-OXS end cover right, Stainless look

Small color differences between end caps and profiles are possible.



# UNIQ SB-OXS | INFO






# ANKERS FISCHER

**fischer**  *innovative solutions*




## ANCHOR SB-01

		MVE	HOH	MRA
2008327	FIS injection mortar SB 390 S	6		
2089149	FIS RSB 10 MINI capsule (alternative)	10		
2089819	FIS RGM 10x170 Threaded rod indoor	10	300	70
2089820	FIS RGM 10x170 Threaded rod A4 outdoor	10	300	70




## ANCHOR SB-02

		MVE	HOH	MRA
2008327	FIS injection mortar SB 390 S	6		
2089149	FIS RSB 10 MINI capsule (alternative)	10		
2089819	FIS RGM 10x170 Threaded rod indoor	10	300	100
2089820	FIS RGM 10x170 Threaded rod A4 outdoor	10	300	100




## ANCHOR SB-03

		MVE	HOH	MRA
2008327	FIS injection mortar SB 390 S	6		
2089149	FIS RSB 10 MINI capsule (alternative)	10		
2089141	FIS RGM 10x200 Threaded rod indoor	10	300	100
2089144	FIS RGM 10x200 Threaded rod A4 outdoor	10	300	100




## ANCHOR SB-A1

		MVE	HOH	MRA
2008327	FIS injection mortar SB 390 S	6		
2089149	FIS RSB 10 MINI capsule (alternative)	10		
2089142	FIS A M 10x150 Threaded rod indoor	10	300	70
2089814	FIS A M 10x150 Threaded rod A4 outdoor	10	300	70




## ANCHOR SB-A2

		MVE	HOH	MRA
2008327	FIS injection mortar SB 390 S6	6		
2089149	FIS RSB 10 MINI capsule (alternative)	10		
2089140	FIS A M 12x210 Threaded rod indoor	10	300	70
2089813	FIS A M 12x210 Threaded rod A4 outdoor	10	300	70




## ANCHOR SB-A3

		MVE	HOH	MRA
2008327	FIS injection mortar SB 390 S	6		
2089149	FIS RSB 10 MINI capsule (alternative)	10		
2089140	FIS A M 12x210 Threaded rod indoor	10	200	70
2089813	FIS A M 12x210 Threaded rod A4 outdoor	10	200	70



### ANCHOR SB-0 0.5S

		MVE	HOH	MRA
2089145	FIS FBS II 10x120/35 US Concrete screw indoor	50	250	70
2089143	FIS FBS II 10x120/35 US Concrete screw A4 outd.50	250	70	




### ANCHOR SB-01S

		MVE	HOH	MRA
2089146	FIS FBS II 12x130/30 US Concrete screw indoor	20	250	80
2090469	FIS FBS II 12x130/30 US Concrete screw A4 outd.20	250	80	




### ANCHOR SB-02S

		MVE	HOH	MRA
2090470	FIS FBS II 12x110 50/35/10 US Concr. screw ind	20	150	90
2090471	FIS FBS II 12x110 10/- US Concr. screw A4 outd	20	150	90



### ANCHOR SB-A1S

		MVE	HOH	MRA
2089821	FIS FBS II 10x120/35 SK Concrete screw indoor	50	250	70
2074809	FIS FBS II 10x120/35 SK Concrete screw A4 outd.50	250	70	



### ANCHOR SB-A2S

		MVE	HOH	MRA
2089821	FIS FBS II 10x120/35 SK Concrete screw indoor	50	250	70
2074809	FIS FBS II 10x120/35 SK Concrete screw A4 outd.50	250	70	



### FISCHER TOOLS

	MVE	
2089153	FISCHER dispenser FIS DM S	1
2089151	FISCHER brush rd12 voor FIS	1
2089150	FISCHER bellows ABG	1

MVE = Minimum sales quantity  
HOH = Center to center distance in millimeters  
MRA = Normative edge distance in millimeters

## MOUNTING TOOLS



### TAPPING TOOL

2089137 Tapping tool



### MOUNTING WRENCH

2089138 Mounting wrench



### CONNECT PIN

2089139 Connect pin

## FOR THESE PROJECTS UNIQ IS CHOSEN!




ALSO AVAILABLE





[WWW.SB-RAILING.COM](http://WWW.SB-RAILING.COM)

# SLOTTED TUBE SYSTEM

Slotted Tube



Aluminium U Profile




304 Indoor satin		H	B	Ø	L
2004975	6	24	24	42,4	6000
2004980	6	30	27	48,3	6000
2004989	6	34	34	60,3	6000

Aluminium RVS Look		B	W	L
1021315	4	28	24	4000
1021317	4	19	15	4000
1021397	4	24	20	4000


316 Outdoor satin		H	B	Ø	L
2004976	6	24	24	42,4	6000
2004981	6	30	27	48,3	6000
2004990	6	34	34	60,3	6000

316 Outdoor mirror		H	B	Ø	L
2043237	6	24	24	42,4	6000
2043238	6	30	27	48,3	6000

Wall flange



Adaptor




304 Indoor satin		D	Ø	H
1183.426.304	1	95	42,4	30
1183.486.304	1	100	48,3	35
1183.603.304	1	107	60,3	35

304 Indoor satin		D	Ø
1502.424.304	2	42,4x1,5	42,4
1502.483.304	2	42,4x1,5	48,3
1503.483.304	2	48,3x1,5	48,3

316 Outdoor satin		D	Ø	H
1183.426.316	1	95	42,4	30
1183.486.316	1	100	48,3	35
1183.603.316	1	107	60,3	35


316 Outdoor satin		D	Ø
1502.424.316	2	42,4x1,5	42,4
1502.483.316	2	42,4x1,5	48,3
1503.483.316	2	48,3x1,5	48,3

Tube connector L

304 Indoor  
satin

		Ø
1201.425.304	2	42,4x1,5
1201.485.304	2	48,3x1,5
1201.605.304	2	60,3x1,5

Tube connector horizontal 90° L

304 Indoor  
satin

		Ø	H
1202.425.304	2	42,4x1,5	30
1202.485.304	2	48,3x1,5	35
1202.605.304	2	60,3x1,5	40

316 Outdoor  
satin

		Ø
1201.425.316	2	42,4x1,5
1201.485.316	2	48,3x1,5
1201.605.316	2	60,3x1,5

316 Outdoor  
satin

		Ø	H
1202.425.316	2	42,4x1,5	30
1202.485.316	2	48,3x1,5	35
1202.605.316	2	60,3x1,5	40


316 Outdoor  
mirror

		Ø
1201.425.316#	2	42,4x1,5
1201.485.316#	2	48,3x1,5

316 Outdoor  
mirror


		Ø	H
1202.425.316#	2	42,4x1,5	30
1202.485.316#	2	48,3x1,5	35

Tube connector vertical 90° L

304 Indoor  
satin

		Ø	H
1203.425.304	2	42,4x1,5	30
1203.485.304	2	48,3x1,5	35

End Cap

304 Indoor  
satin

		Ø
1112.426.304	2	42,4x1,5
1112.486.304	2	48,3x1,5
1112.600.304	2	60,3x1,5

316 Outdoor  
satin

		Ø	H
1203.425.316	2	42,4x1,5	30
1203.485.316	2	48,3x1,5	35

316 Outdoor  
satin

		Ø
1112.426.316	2	42,4x1,5
1112.486.316	2	48,3x1,5
1112.600.316	2	60,3x1,5

316 Outdoor  
mirror316 Outdoor  
mirror

		Ø
1112.426.316#	2	42,4x1,5
1112.486.316#	2	48,3x1,5

Tube connector adjustable L



Tube connector adjustable L



304 Indoor satin

		D
1224.426.304	2	42,4x1,5
1224.485.304	2	48,3x1,5
1224.603.304	2	60,3x1,5

304 Indoor satin

		D
1225.426.304	2	42,4x1,5
1225.485.304	2	48,3x1,5
1225.603.304	2	60,3x1,5


316 Outdoor satin

		D
1224.426.316	2	42,4x1,5
1224.485.316	2	48,3x1,5
1224.603.316	2	60,3x1,5


316 Outdoor satin

		D
1225.426.316	2	42,4x1,5
1225.485.316	2	48,3x1,5
1225.603.316	2	60,3x1,5

Oval slotted tube



End Cap oval



304 Indoor satin

	H	B	D	L
2070442	6	26	33	80x40x1,5 6000
2073101	6	26	33	110x40x1,5 6000

304 Indoor satin

		D
1112.804.304	2	80x40x1,5
1112.110.304	2	110x40x1,5


316 Outdoor satin

	H	B	D	L
2073100	6	26	33	80x40x1,5 6000
2073102	6	26	33	110x40x1,5 6000

316 Outdoor satin

		D
1112.804.316	2	80x40x1,5
1112.110.316	2	110x40x1,5


Glass profile tube rubbers




Rubber	L	Ø	B	G
6770.424.0800	6250	42,4	24	8 - 11
6770.424.1150	6250	42,4	24	11,5 - 13,5
6770.424.1600	6250	42,4	24	16 - 17,5
6770.424.2000	6250	42,4	24	20 - 21,5

Rubber	L	Ø	B	G
6770.483.0800	6250	48,3	27	8 - 11
6770.483.1150	6250	48,3	27	11,5 - 13,5
6770.483.1600	6250	48,3	27	16 - 17,5
6770.483.2000	6250	48,3	27	20 - 21,5
6770.603.0800	6250	60,3	34	8 - 11
6770.603.1150	6250	60,3	34	11,5 - 13,5
6770.603.1600	6250	60,3	34	16 - 17,5
6770.603.2000	6250	60,3	34	20 - 21,5
6770.603.2552	6250	60,3	34	25,52
6770.804.0800	6250	80/110x40	27	8 - 11
6770.804.1150	6250	80/110x40	27	11,5 - 13,5
6770.804.1600	6250	80/110x40	27	16 - 17
6770.804.2000	6250	80/110x40	27	20 - 21,5

Square slotted tube



Wall flange square




<b>304 Indoor satin</b>		<b>H</b>	<b>B</b>	<b>D</b>	<b>L</b>
2081484		6	24	24	40x40x1,5 6000
2073103		6	24	24	60x40x1,5 6000

<b>304 Indoor satin</b>		<b>D</b>	<b>H</b>	<b>W</b>
4183.404.304		2	95x95	28 mm 40x40x1,5
4183.640.304		2	100x80	28 mm 60x40x1,5


<b>316 Outdoor satin</b>		<b>H</b>	<b>B</b>	<b>D</b>	<b>L</b>
2081485		6	24	24	40x40x1,5 6000
2073104		6	24	24	60x40x1,5 6000

<b>316 Outdoor satin</b>		<b>D</b>	<b>H</b>	<b>W</b>
4183.404.316		2	95x95	28 mm 40x40x1,5
4183.640.316		2	100x80	28 mm 60x40x1,5

Tube connector square



End Cap square




<b>304 Indoor satin</b>		<b>W</b>
4201.404.304		2 40x40x1,5
4201.640.304		2 60x40x1,5

<b>304 Indoor satin</b>		<b>W</b>
4112.404.304		2 40x40x1,5
4112.640.304		2 60x40x1,5


<b>316 Outdoor satin</b>		<b>W</b>
4201.404.316		2 40x40x1,5
4201.640.316		2 60x40x1,5

<b>316 Outdoor satin</b>		<b>W</b>
4112.404.316		2 40x40x1,5
4112.640.316		2 60x40x1,5

Tube connector 90° horizontal



Tube connector 90° vertical



<b>304 Indoor satin</b>		<b>W</b>	<b>H</b>
4202.404.304		2 40x40x1,5	50
4202.640.304		2 60x40x1,5	70

<b>304 Indoor satin</b>		<b>W</b>	<b>H</b>
4203.404.304		2 40x40x1,5	30
4203.640.304		2 60x40x1,5	30

<b>316 Outdoor satin</b>		<b>W</b>	<b>H</b>
4202.404.316		2 40x40x1,5	50
4202.640.316		2 60x40x1,5	70



<b>316 Outdoor satin</b>		<b>W</b>	<b>H</b>
4203.404.316		2 40x40x1,5	30
4203.640.316		2 60x40x1,5	30

# GLASS CLIPS

Glass clip model 00 - Flat **S**



Glass clip model 00 - Tube **S**



**304 Indoor**  
satin

00.A2.000.01 4

**304 Indoor**  
satin

00.A2.033.01 4 33,7

00.A2.042.01 4 42,4

**316 Outdoor**  
satin

00.A4.000.01 4

**316 Outdoor**  
satin

00.A4.033.01 4 33,7

00.A4.042.01 4 42,4

**Zamak**  
Stainless look

00.ZN.000.01 4

**Zamak**  
Stainless look

00.ZN.042.01 4 42,4

Glass clip model 00 - Flat **S**



Glass clip model 00 - Tube **S**



**Zamak**  
Brute

00.ZN.000.00 4

**Zamak**  
Brute

00.ZN.042.00 4 42,4



Rubbers Model 00

Rubbers  
Model 00

6760.00.0600 8

6760.00.0676 8

6760.00.0800 8

Glass

6 mm



6,76 mm (3-0,76-3)

8 mm

Glass clip model 01 - Flat S



Glass clip model 01 - Tube S



**3 04 Indoor**  
satin

01.A2.000.01 4

**304 Indoor**  
satin

01.A2.042.01 4 Ø 42,4

**316 Outdoor**  
satin

01.A4.000.01 4

**316 Outdoor**  
satin

01.A4.042.01 4 Ø 42,4

**Zamak**  
Stainless look

01.ZN.000.01 4

**316 Outdoor**  
Mirror

01.A4.042.01# 4 Ø 42,4

**Zamak**  
Stainless look

01.ZN.042.01 4 Ø 42,4

Glass clip model 01 - Flat S



Glass clip model 01 - Tube S



**Zamak**  
Brute

01.ZN.000.00 4

**Zamak**  
Brute


01.ZN.042.00 4 Ø 42,4



**Rubbers**  
Model 01

		Glass
6760.01.0600	8	6 mm
6760.01.0676	8	6,76 mm (3-0,76-3)
6760.01.0800	8	8 mm
6760.01.0876	8	8,76 mm (4-0,76-4)
6760.01.0952	8	9,52 mm (4-1,52-4)
6760.01.1000	8	10 mm

Glass clip model 02 - Flat S

304 Indoor  
satin

02.A2.000.01 4

304 Indoor  
satin

02.A2.042.01 4 42,4

02.A2.048.01 4 48,3

316 Outdoor  
satin

02.A4.000.01 4

316 Outdoor  
satin

Ø

02.A4.042.01 4 42,4

02.A4.048.01 4 48,3

Zamak  
Stainless look

02.ZN.000.01 4

316 Outdoor  
Mirror

Ø

02.A4.042.01# 4 42,4

02.A4.048.01# 4 48,3

Glass clip model 02 - Flat S

Zamak  
Brute

02.ZN.000.00 4

Zamak  
Stainless look

Ø

02.ZN.042.01 4 42,4

02.ZN.048.01 4 48,3

Glass clip model 02 - Tube S

Zamak  
Brute

Ø

02.ZN.042.00 4 42,4

02.ZN.048.00 4 48,3

Rubbers model 02


Rubbers  
Model 02

	Glass
6760.02.0600	8 mm
6760.02.0676	6,76 mm (3-0,76-3)
6760.02.0800	8 mm
6760.02.0876	8,76 mm (4-0,76-4)
6760.02.0952	9,52 mm (4-1,52-4)
6760.02.1000	10 mm

Glass
6 mm
6,76 mm (3-0,76-3)
8 mm
8,76 mm (4-0,76-4)
9,52 mm (4-1,52-4)
10 mm

standard in packing  
model 02

Glass clip model 04 - Flat S


**304 Indoor**  
satin  
04.A2.000.01 4

**304 Indoor**  
satin  
04.A2.048.01 4

Ø  
48,3

**316 Outdoor**  
satin  
04.A4.000.01 4

**316 Outdoor**  
satin  
04.A4.048.01 4

Ø  
48,3

**Zamak**  
Stainless look  
04.ZN.000.01 4

**Zamak**  
Stainless look  
04.ZN.048.01 4

Ø  
48,3

Glass clip model 04 - Flat S


**Zamak**  
Brute  
04.ZN.000.00 4

Glass clip model 04 - Tube S


**Zamak**  
Brute  
04.ZN.048.00 4

Ø  
48,3

Rubbers model 04




Rubbers Model 04		Glass
6760.04.0952	8	9,52 mm (4-1,52-4)
6760.04.1000	8	10 mm
6760.04.1152	8	11,52 mm (5-1,52-5)
6760.04.1200	8	12 mm
6760.04.1276	8	12,76 mm (6-0,76-6)
6760.04.1352	8	13,52 mm (6-1,52-6)
6760.04.1500	8	15 mm
6760.04.1676	8	16,76 mm (8-0,76-8)
6760.04.1752	8	17,52 mm (8-1,52-8)

standard in packing  
model 04



Glass clip model 05 - Flat S



**304 Indoor**  
satin

05.A2.000.01 4


**316 Outdoor**  
satin

05.A4.000.01 4

**Zamak**  
Stainless look

05.ZN.000.01 4

Glass clip model 05 - Tube S



**304 Indoor**  
satin

05.A2.042.01 4 42,4

05.A2.048.01 4 48,3

**316 Outdoor**  
satin

05.A4.042.01 4 42,4

05.A4.048.01 4 48,3

**Zamak**  
Stainless look

05.ZN.042.01 4 42,4

05.ZN.048.01 4 48,3

Glass clip model 05 - Flat S



**Zamak**  
Brute

05.ZN.000.00 4

Glass clip model 05 - Tube S



**Zamak**  
Brute

05.ZN.042.00 4 42,4

05.ZN.048.00 4 48,3

Rubbers model 05




**Rubbers**  
Model 05

		Glass
6760.05.1076	8	5-0,76-5 mm
6760.05.1152	8	5-1,52-5 mm
6760.05.1200	8	12 mm
6760.05.1276	8	6-0,76-6 mm

standard in packing  
model 05



Glass clip model 06 - Flat S

304 Indoor  
satin

06.A2.000.01 4

304 Indoor  
satin

06.A2.042.01 4 42,4

06.A2.048.01 4 48,3

316 Outdoor  
satin

06.A4.000.01 4

06.A4.042.01 4 42,4

06.A4.048.01 4 48,3

Zamak  
Stainless look

06.ZN.000.01 4

06.A4.042.01# 4 42,4

06.A4.048.01# 4 48,3

Glass clip model 06 - Flat S

Zamak  
Brute

06.ZN.000.00 4

06.ZN.042.01 4 42,4

06.ZN.048.01 4 48,3

Glass clip model 06 - Tube S



06.ZN.042.00 4 42,4

06.ZN.048.00 4 48,3

standard in packing model 06



Rubbers model 06

Rubbers  
Model 06

6760.06.0800 8 8 mm

6760.06.0876 8 8,76 mm (4,0,76-4)

6760.06.0952 8 9,52 mm (4-1,52-4)

6760.06.1000 8 10 mm

Rubbers  
Model 06


6760.06.1076 8 10,76 mm (5-0,76-5)

6760.06.1152 8 11,52 mm (5-1,52-5)

6760.06.1200 8 12 mm

6760.06.1276 8 12,76 mm (6-0,76-6)

Glass clip model 07 - Flat S

304 Indoor  
satin


07.A2.000.01 4

304 Indoor  
satin07.A2.254.01 4 25,4  
07.A2.337.01 4 33,7316 Outdoor  
satin

07.A4.000.01 4

316 Outdoor  
satin07.A4.254.01 4 25,4  
07.A4.337.01 4 33,7Zamak  
Stainless look

07.ZN.000.01 4

Zamak  
Stainless look07.ZN.254.01 4 25,4  
07.ZN.337.01 4 33,7

Glass clip model 07 - Tube S



Glass clip model 07 - Flat S

Zamak  
Brute

07.ZN.000.00 4


Zamak  
Brute07.ZN.254.00 4 25,4  
07.ZN.337.00 4 33,7

Rubbers model 07


Rubbers  
Model 07

		Glass
6760.07.0600	8	6 mm
6760.07.0676	8	6,76 mm (3-0,76-3)
6760.07.0800	8	8 mm
6760.07.0876	8	8,76 mm (4-0,76-4)

Glass clip model 08 - Flat **S**



Glass clip model 08 - Tube **S**




**316 Outdoor**  
satin

08.A4.000.01 4


**316 Outdoor**  
satin

08.A4.042.01	4	42,4
08.A4.048.01	4	48,3

Glass clip model 09 - Flat **S**



Glass clip model 09 - Tube **S**



**316 Outdoor**  
satin

09.A4.000.01 4

**316 Outdoor**  
satin

09.A4.042.01	4	42,4
09.A4.048.01	4	48,3

Rubbers model 08/09



**Rubbers**  
Model 08/09

		Glass
6760.09.0800	8	8 mm
6760.09.0876	8	8,76 mm (4-0,76-4)
6760.09.0952	8	9,52 mm (4-1,52-4)
6760.09.1000	8	10 mm
6760.09.1076	8	10,76 mm (5-0,76-5)
6760.09.1152	8	11,52 mm (5-1,52-5)
6760.09.1200	8	12 mm
6760.09.1276	8	12,76 mm (6-0,76-6)

Glass clip model 10 - 090 S



**304 Indoor**  
satin

10.A2.090.01 2




Glass clip model 10 - 180 S



**304 Indoor**  
satin

10.A2.180.01 2



**316 Outdoor**  
satin

10.A4.090.01 2



**316 Outdoor**  
satin

10.A4.180.01 2




Rubbers model 10




**Rubbers**  
Model 10

		Glass
6760.10.0600	8	6 mm
6760.10.0800	8	8 mm
6760.10.0876	8	8,76 mm (4-0,76-4)
6760.10.0952	8	9,52 mm (4-1,52-4)
6760.10.1000	8	10 mm

Glass clip model 11 - Flat S



Glass clip model 11 - 090



**316 Outdoor**  
satin

11.A4.000.01 1

Glass

16.76-19mm


**316 Outdoor**  
satin

11.A4.090.01 1


Glass

16.76-19mm

Glass clip model 11 - 180



Glass clip model 11 - 270



**316 Outdoor**  
satin

11.A4.180.01 1

Glass

16.76-19mm

**316 Outdoor**  
satin

11.A4.270.01 1

Glass

16.76-19mm





**talitech**

**UNIQ**  
SMART BALUSTRADES

**TALITECH**  
UNIT C3, GRANGE IND EST.,  
BALLYCURREEN  
CORK  
T12 XR98  
T: 021-43228489  
[WWW.TALITECH.COM](http://WWW.TALITECH.COM)

SEPTEMBER 2020  
ENGLISH  
[WWW.UNIQ-BALUSTRADES.COM](http://WWW.UNIQ-BALUSTRADES.COM)