



DELIVERY PROGRAM SB-RAILING



CATALOGUE
SEPTEMBER 2022
ENGLISH





SB-Railing, total supplier of railing components and balustrade systems

In the extended range of SB-Railing you will find everything you need for the finest fencing, wall railings and bannisters. Choose from items with round or square shapes, for use indoors or outdoors, with a polished K.320, satin black PVD coated, or mirror surface. The products are developed in-house and must meet stringent quality controls.

The company

SB-Railing is a product line of IMS Nederland B.V., an all-round supplier and distributor of steel, stainless steel and aluminum. The company is ISO9001: 2015 certified and has enjoyed a renowned name in the steel industry ever since 1954. Since 2015, the company is part of IMS Group, a European network of special steel distributors of quality steel, bright steel, tool steel, stainless steel and aluminum. The group is represented with 47 distribution centers in 10 European countries.

UNIQ smart balustrades

UNIQ, the smartest profile for glass balustrades. The patented clamping strip without wedges and rubbers, the adjustability on rough surfaces, the hollow design and the quick and easy assembly are all unique and smart characteristics that save time and money.





















For more information and the brochure please visit www.uniq-balustrades.com



IMS
Nederland




INDEX

	Pages		Pages		
	Tube Connectors	4		Slotted Tube System	43
	Stand-off Brackets	9		Square System	47
	Handrail Supports	10		Wood System	53
	Handrail Supports	14		Modular Handrail System	55
	End Caps	22		Wire System	59
	End Caps QuickFix	24		Tubes & Bars	64
	Baluster Posts	25		Glue and cleaner	66
	Flanges /Adaptors	32		Glass Clips	68
	Sheet Adaptors	38		Satin Black System	79
	Crosbarholders	39		UNIQ	90

- L** Glue
- H** Hammer
- S** Screw
- W** Welding

Tube Connector



**304 Indoor
satin**



Ø

Part Number	Quantity	Dimensions
0201.160.304	2	16,0 x 1,0
0201.337.304	2	33,7 x 2,0
0201.420.304	2	42,4 x 2,0
0201.426.304	2	42,4 x 2,6
0201.480.304	2	48,3 x 2,0
0201.486.304	2	48,3 x 2,6

**316 Outdoor
satin**



Ø

0201.160.316	2	16,0 x 1,0
0201.337.316	2	33,7 x 2,0
0201.420.316	2	42,4 x 2,0
0201.426.316	2	42,4 x 2,6
0201.480.316	2	48,3 x 2,0
0201.486.316	2	48,3 x 2,6


**316 Outdoor
mirror**



Ø

0201.420.316#	2	42,4 x 2,0
0201.486.316#	2	48,3 x 2,6

Tube Connector 135°



**304 Indoor
satin**



Ø

H

0202.420.304	2	42,4 x 2,0	30
0202.426.304	2	42,4 x 2,6	30
0202.480.304	2	48,3 x 2,0	35
0202.486.304	2	48,3 x 2,6	35

**316 Outdoor
satin**



Ø

H

0202.420.316	2	42,4 x 2,0	30
0202.426.316	2	42,4 x 2,6	30
0202.480.316	2	48,3 x 2,0	35
0202.486.316	2	48,3 x 2,6	35

**316 Outdoor
mirror**



Ø


H

0202.420.316#	2	42,4 x 2,0	30
0202.486.316#	2	48,3 x 2,6	35

Mirror products



Tube Connector 90°



304 Indoor satin			Ø	H
0203.337.304	2		33,7 x 2,0	25
0203.420.304	2		42,4 x 2,0	30
0203.426.304	2		42,4 x 2,6	30
0203.480.304	2		48,3 x 2,0	35
0203.486.304	2		48,3 x 2,6	35
0203.603.304	2		60,3 x 2,0	40


316 Outdoor satin			Ø	H
0203.337.316	2		33,7 x 2,0	25
0203.420.316	2		42,4 x 2,0	30
0203.426.316	2		42,4 x 2,6	30
0203.480.316	2		48,3 x 2,0	35
0203.486.316	2		48,3 x 2,6	35
0203.603.316	2		60,3 x 2,0	40

316 Outdoor mirror			Ø	H
0203.420.316#	2		42,4 x 2,0	30
0203.486.316#	2		48,3 x 2,6	35

Glue instruction



Tube Connector T-90°




304 Indoor satin		Ø	H
0204.337.304	2	33,7 x 2,0	25
0204.420.304	2	42,4 x 2,0	30
0204.426.304	2	42,4 x 2,6	30
0204.480.304	2	48,3 x 2,0	35
0204.486.304	2	48,3 x 2,6	35

316 Outdoor satin		Ø	H
0204.337.316	2	33,7 x 2,0	25
0204.420.316	2	42,4 x 2,0	30
0204.426.316	2	42,4 x 2,6	30
0204.480.316	2	48,3 x 2,0	35
0204.486.316	2	48,3 x 2,6	35

316 Outdoor mirror		Ø	H
0204.420.316#	2	42,4 x 2,0	30
0204.486.316#	2	48,3 x 2,6	35

Tube Connector 90°




304 Indoor satin		Ø	H
0205.420.304	2	42,4 x 2,0	30
0205.426.304	2	42,4 x 2,6	30
0205.480.304	2	48,3 x 2,0	35
0205.486.304	2	48,3 x 2,6	35
0205.603.304	2	60,3 x 2,0	40

316 Outdoor satin		Ø	H
0205.420.316	2	42,4 x 2,0	30
0205.426.316	2	42,4 x 2,6	30
0205.480.316	2	48,3 x 2,0	35
0205.486.316	2	48,3 x 2,6	35
0205.603.316	2	60,3 x 2,0	40

316 Outdoor mirror		Ø	H
0205.420.316#	2	42,4 x 2,0	30
0205.486.316#	2	48,3 x 2,6	35


Tube Connector 90°



304 Indoor satin		Ø	H
0207.337.304	2	33,7 x 2,0	25
0207.420.304*	2	42,4 x 2,0	40
0207.426.304*	2	42,4 x 2,6	40
0207.480.304	2	48,3 x 2,0	45
0207.486.304*	2	48,3 x 2,6	45
0207.603.304	2	60,3 x 2,0	60

316 Outdoor satin		Ø	H
0207.337.316	2	33,7 x 2,0	25
0207.420.316*	2	42,4 x 2,0	40
0207.426.316*	2	42,4 x 2,6	40
0207.480.316	2	48,3 x 2,0	45
0207.486.316*	2	48,3 x 2,6	45
0207.603.316	2	60,3 x 2,0	60

Tube Connector




304 Indoor satin		Ø	H
0208.337.304	2	33,7 x 2,0	25
0208.420.304	2	42,4 x 2,0	30
0208.486.304	2	48,3 x 2,6	35

316 Outdoor satin		Ø	H
0208.337.316	2	33,7 x 2,0	25
0208.420.316	2	42,4 x 2,0	30
0208.486.316	2	48,3 x 2,6	35

Corresponding tubes can be found on Page 64


Tube Connector Adjustable **L**



304 Indoor satin		Ø	H
0209.420.304	2	42,4 x 2,0	40
0209.480.304	2	48,3 x 2,0	45

316 Outdoor satin		Ø	H
0209.420.316	2	42,4 x 2,0	40
0209.480.316	2	48,3 x 2,0	45

Tube Connector Adjustable **L**




304 Indoor satin		Ø	H
0221.337.304	2	33,7 x 2,0	22
0221.420.304	2	42,4 x 2,0	27
0221.426.304	2	42,4 x 2,6	27
0221.480.304	2	48,3 x 2,0	30
0221.486.304	2	48,3 x 2,6	30

316 Outdoor satin		Ø	H
0221.337.316	2	33,7 x 2,0	22
0221.420.316	2	42,4 x 2,0	27
0221.426.316	2	42,4 x 2,6	27
0221.480.316	2	48,3 x 2,0	30
0221.486.316	2	48,3 x 2,6	30

316 Outdoor mirror		Ø	H
0221.420.316#	2	42,4 x 2,0	27
0221.486.316#	2	48,3 x 2,6	30

Tube Connector T **L**




304 Indoor satin		Ø	H
0206.420.304	2	42,4 x 2,0	60
0206.426.304	2	42,4 x 2,6	60
0206.480.304	2	48,3 x 2,0	70
0206.486.304	2	48,3 x 2,6	70

316 Outdoor satin		Ø	H
0206.420.316	2	42,4 x 2,0	60
0206.426.316	2	42,4 x 2,6	60
0206.480.316	2	48,3 x 2,0	70
0206.486.316	2	48,3 x 2,6	70

316 Outdoor mirror		Ø	H
0206.420.316#	2	42,4 x 2,0	60
0206.486.316#	2	48,3 x 2,6	70


Tube Connector Cross **L**



304 Indoor satin		Ø	H
0210.420.304	1	42,4 x 2,0	60
0210.426.304	1	42,4 x 2,6	60
0210.486.304	1	48,3 x 2,6	70

316 Outdoor satin		Ø	H
0210.420.316	1	42,4 x 2,0	60
0210.426.316	1	42,4 x 2,6	60
0210.486.316	1	48,3 x 2,6	70


Wall Connector Adjustable **L S**



304 Indoor satin		Ø	H
0231.420.304*	2	42,4 x 2,0	27
0231.426.304*	2	42,4 x 2,6	27
0231.486.304*	2	48,3 x 2,6	27

316 Outdoor satin		Ø	H
0231.420.316*	2	42,4 x 2,0	27
0231.426.316*	2	42,4 x 2,6	27
0231.486.316*	2	48,3 x 2,6	27

Elbow 90° **L**




304 Indoor satin		Ø
5514.337.304	1	33,7 x 2,0
5514.424.304	1	42,4 x 2,0
5514.483.304	1	48,3 x 2,0

Elbow 90° **L**



304 Indoor satin		Ø
5515.420.304	1	42,4 x 2,0
5515.480.304	1	48,3 x 2,0


Tube Connector Adjustable **L**



304 Indoor satin		Ø	H
0222.160.304	6	16,0 x 1,0	11

316 Outdoor satin		Ø	H
0222.160.316	6	16,0 x 1,0	11

Bar Connector Adjustable **L**



304 Indoor satin		Ø	H
0223.100.304	6	10	35
0223.120.304	6	12	36
0223.140.304	6	14	37


316 Outdoor satin		Ø	H
0223.100.316	6	10	35
0223.120.316	6	12	36
0223.140.316	6	14	37


Elbow 180° **L**




304 Indoor satin		Ø
5516.420.304	1	42,4 x 2,0
5516.480.304	1	48,3 x 2,0


Stand-Off Bracket - Connector **L S**





304 Indoor satin		Ø
0395.420.304*	1	42,4 x 2,0
0395.426.304*	1	42,4 x 2,6
0395.483.304*	1	48,3 x 2,6


316 Outdoor satin		Ø
0395.420.316*	1	42,4 x 2,0
0395.426.316*	1	42,4 x 2,6
0395.483.316*	1	48,3 x 2,6

Stand-Off Bracket - End **L S**



304 Indoor satin		Ø
0396.420.304*	1	42,4 x 2,0
0396.426.304*	1	42,4 x 2,6
0396.483.304*	1	48,3 x 2,6

316 Outdoor satin		Ø
0396.420.316*	1	42,4 x 2,0
0396.426.316*	1	42,4 x 2,6
0396.483.316*	1	48,3 x 2,6



SB-Cleaner Spray

6740.05 150 ML

SB-Cleaner spray can be used to clean and degreases parts. This product should always be used before bonding parts and tubes together




SB-Glue 50g

6740.03 50 ML

This glue is the ideal adhesive for cylindrical joints. just a small quantity is sufficient to achieve solid bonding, as long as it is applied properly.




Handrail Support - Flat **L S**



304 Indoor satin		Ø	H
0341.000.304	2	33,7 x 2,0	81
0342.000.304	2	42,4 x 2,0	81
0343.000.304	2	42,4 x 2,6	81
0345.000.304	2	48,3 x 2,6	82

316 Outdoor satin		Ø	H
0341.000.316	2	33,7 x 2,0	81
0342.000.316	2	42,4 x 2,0	81
0343.000.316	2	42,4 x 2,6	81
0345.000.316	2	48,3 x 2,6	82


Handrail Support - Tube 135° **L S**



304 Indoor satin		D	Ø	H
0342.425.304	2	42,4	42,4 x 2,0	79
0342.485.304	2	48,3	42,4 x 2,0	79
0343.425.304	2	42,4	42,4 x 2,6	79
0343.485.304	2	48,3	42,4 x 2,6	79
0345.425.304	2	42,4	48,3 x 2,6	81
0345.485.304	2	48,3	48,3 x 2,6	81

316 Outdoor satin		D	Ø	H
0342.425.316	2	42,4	42,4 x 2,0	79
0342.485.316	2	48,3	42,4 x 2,0	79
0343.425.316	2	42,4	42,4 x 2,6	79
0343.485.316	2	48,3	42,4 x 2,6	79
0345.425.316	2	42,4	48,3 x 2,6	81
0345.485.316	2	48,3	48,3 x 2,6	81

Handrail Support - Tube **L S**



304 Indoor satin		D	Ø	H
0341.337.304	2	33,7	33,7 x 2,0	79
0341.420.304	2	42,4	33,7 x 2,0	79
0342.420.304	2	42,4	42,4 x 2,0	79
0342.480.304	2	48,3	42,4 x 2,0	79
0343.420.304	2	42,4	42,4 x 2,6	79
0343.480.304	2	48,3	42,4 x 2,6	79
0344.420.304	2	42,4	48,3 x 2,0	80
0344.480.304	2	48,3	48,3 x 2,0	80
0345.420.304	2	42,4	48,3 x 2,6	81
0345.480.304	2	48,3	48,3 x 2,6	81

316 Outdoor satin		D	Ø	H
0341.337.316	2	33,7	33,7 x 2,0	79
0341.420.316	2	42,4	33,7 x 2,0	79
0342.420.316	2	42,4	42,4 x 2,0	79
0342.480.316	2	48,3	42,4 x 2,0	79
0343.420.316	2	42,4	42,4 x 2,6	79
0343.480.316	2	48,3	42,4 x 2,6	79
0344.420.316	2	42,4	48,3 x 2,0	80
0344.480.316	2	48,3	48,3 x 2,0	80
0345.420.316	2	42,4	48,3 x 2,6	81
0345.480.316	2	48,3	48,3 x 2,6	81

316 Outdoor mirror		D	Ø	H
0342.420.316#	2	42,4	42,4 x 2,0	79
0342.480.316#	2	48,3	42,4 x 2,0	79
0345.420.316#	2	42,4	48,3 x 2,6	81
0345.480.316#	2	48,3	48,3 x 2,6	81

Handrail Support - Tube 90°

L S




304 Indoor satin			D	Ø	H
0341.429.304	2		42,4	33,7 x 2,0	79
0342.429.304	2		42,4	42,4 x 2,0	79
0342.489.304	2		48,3	42,4 x 2,0	79
0343.429.304	2		42,4	42,4 x 2,6	79
0343.489.304	2		48,3	42,4 x 2,6	79
0344.489.304	2		48,3	48,3 x 2,0	80
0345.429.304	2		42,4	48,3 x 2,6	81
0345.489.304	2		48,3	48,3 x 2,6	81

316 Outdoor satin			D	Ø	H
0341.429.316	2		42,4	33,7 x 2,0	79
0342.429.316	2		42,4	42,4 x 2,0	79
0342.489.316	2		48,3	42,4 x 2,0	79
0343.429.316	2		42,4	42,4 x 2,6	79
0343.489.316	2		48,3	42,4 x 2,6	79
0344.489.316	2		48,3	48,3 x 2,0	80
0345.429.316	2		42,4	48,3 x 2,6	81
0345.489.316	2		48,3	48,3 x 2,6	81

316 Outdoor mirror			D	Ø	H
0342.429.316#	2		42,4	42,4 x 2,0	79
0342.489.316#	2		48,3	42,4 x 2,0	81

Handrail Support Adjustable - Tube

L S




304 Indoor satin			D	Ø	H
0441.337.304	2		33,7	33,7 x 2,0	79
0441.420.304	2		42,4	33,7 x 2,0	79
0442.420.304	2		42,4	42,4 x 2,0	79
0442.480.304	2		48,3	42,4 x 2,0	79
0443.420.304	2		42,4	42,4 x 2,6	79
0443.480.304	2		48,3	42,4 x 2,6	79
0444.420.304	2		42,4	48,3 x 2,0	80
0444.480.304	2		48,3	48,3 x 2,0	80
0445.420.304	2		42,4	48,3 x 2,6	80
0445.480.304	2		48,3	48,3 x 2,6	80

316 Outdoor satin			D	Ø	H
0441.337.316	2		33,7	33,7 x 2,0	79
0441.420.316	2		42,4	33,7 x 2,0	79
0442.420.316	2		42,4	42,4 x 2,0	79
0442.480.316	2		48,3	42,4 x 2,0	79
0443.420.316	2		42,4	42,4 x 2,6	79
0443.480.316	2		48,3	42,4 x 2,6	79
0444.420.316	2		42,4	48,3 x 2,0	80
0444.480.316	2		48,3	48,3 x 2,0	80
0445.420.316	2		42,4	48,3 x 2,6	80
0445.480.316	2		48,3	48,3 x 2,6	80

316 Outdoor mirror			D	Ø	H
0442.420.316#	2		42,4	42,4 x 2,0	79
0442.480.316#	2		48,3	42,4 x 2,0	79
0445.420.316#	2		42,4	48,3 x 2,6	80
0445.480.316#	2		48,3	48,3 x 2,6	80


Handrail Support Adjustable - Flat **L S**



304 Indoor satin		Ø	H
0441.000.304	2	33,7 x 2,0	81
0442.000.304	2	42,4 x 2,0	81
0443.000.304	2	42,4 x 2,6	81
0445.000.304	2	48,3 x 2,6	82

316 Outdoor satin		Ø	H
0441.000.316	2	33,7 x 2,0	81
0442.000.316	2	42,4 x 2,0	81
0443.000.316	2	42,4 x 2,6	81
0445.000.316	2	48,3 x 2,6	82

Handrail Support - Blunt **L W**



304 Indoor satin		Ø	H
0372.000.304*	2	42,4 x 2,0	81
0373.000.304*	2	42,4 x 2,6	81
0375.000.304*	2	48,3 x 2,6	82

316 Outdoor satin		Ø	H
0372.000.316*	2	42,4 x 2,0	81
0373.000.316*	2	42,4 x 2,6	81
0375.000.316*	2	48,3 x 2,6	82

Handrail Support M8 - Tube 90° **S**



304 Indoor satin		Ø	
0361.429.304	2	42,4	M8
0361.489.304	2	48,3	M8

316 Outdoor satin		Ø	
0361.429.316	2	42,4	M8
0361.489.316	2	48,3	M8


Handrail Support M8 - Tube 135° **S**



304 Indoor satin		Ø	
0361.425.304	2	42,4	M8
0361.485.304	2	48,3	M8

316 Outdoor satin		Ø	
0361.425.316	2	42,4	M8
0361.485.316	2	48,3	M8


Handrail Support M8 - Flat **S**



304 Indoor satin	
0361.000.304	2 M8

316 Outdoor satin	
0361.000.316	2 M8

Handrail Support M8 - Adjustable - Flat **S**



304 Indoor satin	
0461.000.304	2 M8

316 Outdoor satin	
0461.000.316	2 M8

Handrail Support M8 - Tube **S**



304 Indoor satin		Ø
0361.420.304	2	42,4 M8
0361.480.304	2	48,3 M8

316 Outdoor satin		Ø
0361.420.316	2	42,4 M8
0361.480.316	2	48,3 M8


Handrail Support M8 - Adjustable - Tube **S**



304 Indoor satin		Ø
0461.420.304	2	42,4 M8
0461.480.304	2	48,3 M8

316 Outdoor satin		Ø
0461.420.316	2	42,4 M8
0461.480.316	2	48,3 M8


Handrail Support - Flat **S**



304 Indoor satin	
0391.000.304	2

316 Outdoor satin	
0391.000.316	2


Handrail Support - Tube **S**





304 Indoor satin		Ø
0391.420.304	2	42,4
0391.480.304	2	48,3

316 Outdoor satin		Ø
0391.420.316	2	42,4
0391.480.316	2	48,3


Handrail Support - Tube 90° **S**





304 Indoor satin		Ø
0391.429.304	2	42,4
0391.489.304	2	48,3

316 Outdoor satin		Ø
0391.429.316	2	42,4
0391.489.316	2	48,3


Handrail Support - Tube 135° **S**



304 Indoor satin		Ø
0391.425.304	2	42,4
0391.485.304	2	48,3

316 Outdoor satin		Ø
0391.425.316	2	42,4
0391.485.316	2	48,3


Handrail Support - Flat **S**





304 Indoor satin		Ø
0321.000.304	2	


316 Outdoor satin		Ø
0321.000.316	2	

Handrail Support - Tube **S**




304 Indoor satin		Ø
0321.420.304	2	42,4
0321.480.304	2	48,3

316 Outdoor satin		Ø
0321.420.316	2	42,4
0321.480.316	2	48,3

316 Outdoor mirror		Ø
0321.420.316#	2	42,4
0321.480.316#	2	48,3



Handrail Support - Tube **S**




304 Indoor satin		Ø
0322.337.304	2	33,7
0322.420.304	2	42,4
0322.480.304	2	48,3

316 Outdoor satin		Ø
0322.337.316	2	33,7
0322.420.316	2	42,4
0322.480.316	2	48,3

316 Outdoor mirror		Ø
0322.420.316#	2	42,4
0322.480.316#	2	48,3


Handrail Support - Flat **S**



304 Indoor satin		
0326.000.304*	4	

316 Outdoor satin		
0326.000.316*	4	


Handrail Support - Tube **S**



304 Indoor satin		Ø
0326.420.304	4	42,4
0326.480.304	4	48,3

316 Outdoor satin		Ø
0326.420.316	4	42,4
0326.480.316	4	48,3


Handrail Support - Tube - 85 mm **S**



304 Indoor satin		Ø
0327.420.304	2	42,4
0327.480.304	2	48,3

316 Outdoor satin		Ø
0327.420.316	2	42,4
0327.480.316	2	48,3


Handrail Support - Tube - 85 mm **S**



304 Indoor satin		Ø
0328.420.304	2	42,4
0328.480.304	2	48,3

316 Outdoor satin		Ø
0328.420.316	2	42,4
0328.480.316	2	48,3

Handrail Support - Flat **S**



304 Indoor
satin




0305.000.304 2

316 Outdoor
satin



0305.000.316 2

Handrail Support Adjustable - Flat **S**



304 Indoor
satin




0405.000.304 2

316 Outdoor
satin



0405.000.316 2

Handrail Support - Tube **S**



304 Indoor
satin



Ø

0305.420.304 2 42,4
0305.480.304 2 48,3

316 Outdoor
satin



Ø

0305.420.316 2 42,4
0305.480.316 2 48,3


316 Outdoor
mirror



Ø

0305.420.316# 2 42,4
0305.480.316# 2 48,3

Handrail Support Adjustable - Tube **S**



304 Indoor
satin



Ø

0405.420.304 2 42,4
0405.480.304 2 48,3

316 Outdoor
satin



Ø

0405.420.316 2 42,4
0405.480.316 2 48,3

316 Outdoor
mirror





Ø


0405.420.316# 2 42,4
0405.480.316# 2 48,3




Handrail Support - Flat - Flat **S**





304 Indoor satin		
0301.000.304	2	

316 Outdoor satin		
0301.000.316	2	


Handrail Support - Tube - Flat **S**





304 Indoor satin			D
0302.000.304	2		42,4
0303.000.304	2		48,3

316 Outdoor satin			D
0302.000.316	2		42,4
0303.000.316	2		48,3


Handrail Support - Flat - Tube **S**





304 Indoor satin			Ø
0301.420.304	2		42,4
0301.480.304	2		48,3

316 Outdoor satin			Ø
0301.420.316	2		42,4
0301.480.316	2		48,3

Handrail Support - Tube - Tube **S**





304 Indoor satin			D	Ø
0302.420.304	2		42,4	42,4
0302.480.304	2		48,3	42,4
0303.420.304	2		42,4	48,3
0303.480.304	2		48,3	48,3

316 Outdoor satin			D	Ø
0302.420.316	2		42,4	42,4
0302.480.316	2		48,3	42,4
0303.420.316	2		42,4	48,3
0303.480.316	2		48,3	48,3

Handrail Support **S**




304 Indoor satin			Ø
5361.000.304	1		Flat
5361.424.304	1		42,4
5361.483.304	1		48,3

316 Outdoor satin			Ø
5361.000.316	1		Flat
5361.424.316	1		42,4
5361.483.316	1		48,3

Handrail Support - Flat - Flat

S



304 Indoor
satin



0401.000.304 2


316 Outdoor
satin



0401.000.316 2

Handrail Support - Tube - Flat

S



304 Indoor
satin



D

0402.000.304 2 42,4

0403.000.304 2 48,3

316 Outdoor
satin




D

0402.000.316 2 42,4

0403.000.316 2 48,3

Handrail Support Adjustable - Flat - Tube

S



304 Indoor
satin



Ø

0401.420.304 2 42,4

0401.480.304 2 48,3

316 Outdoor
satin




Ø

0401.420.316 2 42,4

0401.480.316 2 48,3

Handrail Support Adjustable - Tube - Tube

S



304 Indoor
satin



D

Ø

0402.420.304 2 42,4 42,4

0402.480.304 2 48,3 42,4

0403.420.304 2 42,4 48,3

0403.480.304 2 48,3 48,3

316 Outdoor
satin



D

Ø

0402.420.316 2 42,4 42,4

0402.480.316 2 48,3 42,4

0403.420.316 2 42,4 48,3

0403.480.316 2 48,3 48,3

Handrail Support Adjustable

S



304 Indoor
satin



Ø

0961.000.304 1 Flat

0961.424.304 1 42,4

0961.483.304 1 48,3

316 Outdoor
satin




Ø

0961.000.316 1 Flat

0961.424.316 1 42,4

0961.483.316 1 48,3

Glass Handrail Support - Flat **S**



304 Indoor
satin




0306.000.304 2

316 Outdoor
satin



0306.000.316 2

Glass Handrail Support Adjustable - Flat **S**



304 Indoor
satin




0406.000.304 2

316 Outdoor
satin



0406.000.316 2

Glass Handrail Support - Tube **S**



304 Indoor
satin



Ø

0306.420.304 2 42,4

0306.480.304 2 48,3

316 Outdoor
satin




Ø

0306.420.316 2 42,4

0306.480.316 2 48,3

Glass Handrail Support Adjustable - Tube **S**



304 Indoor
satin



Ø

0406.420.304 2 42,4

0406.480.304 2 48,3

316 Outdoor
satin



Ø

0406.420.316 2 42,4

0406.480.316 2 48,3






www.sb-railing.com



www.uniq-balustrades.com

End Ball

L



304 Indoor satin



Ø H

0101.100.304	2	10	ca. 18,7
0101.120.304	2	12	ca. 17,5

316 Outdoor satin




Ø H

0101.100.316	2	10	ca. 18,7
0101.120.316	2	12	ca. 17,5

End Ball - Threaded

S



304 Indoor satin



Ø H G

0102.250.304	2	25	ca. 23,5	M8
0102.300.304	2	30	ca. 28,5	M8
0102.500.304	2	50	ca. 48,5	M8

316 Outdoor satin




Ø H G

0102.250.316	2	25	ca. 23,5	M8
0102.300.316	2	30	ca. 28,5	M8
0102.500.316	2	50	ca. 48,5	M8

Endcap Bend

L



304 Indoor satin



Ø H

0103.337.304	2	33,7 x 2,0	77
0103.420.304	2	42,4 x 2,0	81
0103.426.304	2	42,4 x 2,6	81
0103.480.304	2	48,3 x 2,0	84
0103.486.304	2	48,3 x 2,6	84

316 Outdoor satin




Ø H

0103.337.316	2	33,7 x 2,0	77
0103.420.316	2	42,4 x 2,0	81
0103.426.316	2	42,4 x 2,6	81
0103.480.316	2	48,3 x 2,0	84
0103.486.316	2	48,3 x 2,6	84

Endcap - 45°

L



304 Indoor satin



Ø

0104.420.304*	2	42,4 x 2,0
0104.426.304*	2	42,4 x 2,6
0104.486.304*	2	48,3 x 2,6



316 Outdoor satin



Ø

0104.420.316*	2	42,4 x 2,0
0104.426.316*	2	42,4 x 2,6
0104.486.316*	2	48,3 x 2,6

Endcap - Flat



304 Indoor satin



Ø

0110.420.304	2	42,4 x 2,0
0110.426.304	2	42,4 x 2,6
0110.480.304	2	48,3 x 2,0
0110.486.304	2	48,3 x 2,6

316 Outdoor satin



Ø

0110.420.316	2	42,4 x 2,0
0110.426.316	2	42,4 x 2,6
0110.480.316	2	48,3 x 2,0
0110.486.316	2	48,3 x 2,6


316 Outdoor mirror



Ø

0110.420.316#	2	42,4 x 2,0
---------------	---	------------

Endcap - Arched



304 Indoor satin



Ø

H

0111.160.304	2	16,0 x 1,0	4
0111.337.304	2	33,7 x 2,0	9
0111.420.304	2	42,4 x 2,0	9
0111.426.304	2	42,4 x 2,6	9
0111.486.304	2	48,3 x 2,6	10

316 Outdoor satin



Ø

H

0111.160.316	2	16,0 x 1,0	4
0111.337.316	2	33,7 x 2,0	9
0111.420.316	2	42,4 x 2,0	9
0111.426.316	2	42,4 x 2,6	9
0111.486.316	2	48,3 x 2,6	10

316 Outdoor mirror



Ø

H

0111.420.316#	2	42,4 x 2,0	9
0111.486.316#	2	48,3 x 2,6	10

SB-Cleaner

6740.01

To finalize the project and during maintenance we advise you to use SB-cleaner 6740.01



SB-SuperCleaner


6740.02

If you encounter corrosion or defects caused by aggressive influences, use SB-supercleaner 6740.02



Endcap Flat - QuickFix

H




304 Indoor satin		Ø
0121.337.304	2	33,7 x 2,0
0121.420.304	2	42,4 x 2,0
0121.426.304	2	42,4 x 2,6
0121.480.304	2	48,3 x 2,0
0121.486.304	2	48,3 x 2,6

316 Outdoor satin		Ø
0121.337.316	2	33,7 x 2,0
0121.420.316	2	42,4 x 2,0
0121.426.316	2	42,4 x 2,6
0121.480.316	2	48,3 x 2,0
0121.486.316	2	48,3 x 2,6

Endcap - Arched - QuickFix

H




304 Indoor satin		Ø
0121.337.304	2	33,7 x 2,0
0121.420.304	2	42,4 x 2,0
0121.426.304	2	42,4 x 2,6
0121.480.304	2	48,3 x 2,0
0121.486.304	2	48,3 x 2,6

316 Outdoor satin		Ø
0122.337.316	2	33,7 x 2,0
0122.420.316	2	42,4 x 2,0
0122.426.316	2	42,4 x 2,6
0122.480.316	2	48,3 x 2,0
0122.486.316	2	48,3 x 2,6

Endcap Dome - QuickFix

H





304 Indoor satin		Ø	H
0123.420.304	2	42,4 x 2,0	21
0123.426.304	2	42,4 x 2,6	21
0123.486.304	2	48,3 x 2,6	24

316 Outdoor satin		Ø	H
0123.420.316	2	42,4 x 2,0	21
0123.426.316	2	42,4 x 2,6	21
0123.486.316	2	48,3 x 2,6	24



Baluster Post - End

S



316 Outdoor
satin





0164.420.316 885 mm end

1

Baluster Post - 180°

S



316 Outdoor
satin





0164.420.316 885 mm 180gr

1

Baluster Post - 90°

S



316 Outdoor
satin




0164.420.316 885 mm 90gr

1

Baluster Post

S



304 Indoor satin



Ø

0163.420.304* 2 42,4 x 2,0

316 Outdoor satin




Ø

0163.420.316* 2 42,4 x 2,0

Threaded Adaptor

S W



304 Indoor satin



Ø

5501.420.304 2 42,4 x 2,0

5501.426.304 2 42,4 x 2,6

5501.486.304 2 48,3 x 2,6

316 Outdoor satin



Ø


5501.420.316 2 42,4 x 2,0

5501.426.316 2 42,4 x 2,6

5501.486.316 2 48,3 x 2,6

Flange

S



304 Indoor satin



Ø

5506.426.304 2 42,4

5506.486.304 2 48,3

316 Outdoor satin




Ø

5506.426.316 2 42,4

5506.486.316 2 48,3

Screw Cap

S



304 Indoor satin



Ø

5506.600.304 2 60 M12

316 Outdoor satin




Ø

5506.600.316 2 60 M12



Baluster Post



S



304 Indoor satin	B	D	Ø
0164.420.304*	2 80	105	42,4 x 2,0

316 Outdoor satin	B	D	Ø
0164.420.316*	2 80	105	42,4 x 2,0

Flange Cover




304 Indoor satin		D	Ø
0185.426.304	2	110	42,4
0185.486.304	2	120	48,3

316 Outdoor satin		D	Ø
0185.426.316	2	110	42,4
0185.486.316	2	120	48,3

316 Outdoor mirror		D	Ø
0185.426.316#	2	110	42,4
0185.486.316#	2	120	48,3

Welding Flange


S W



304 Indoor satin	B	D	Ø
0172.426.304	2 80	105	42,4
0172.486.304	2 90	115	48,3

316 Outdoor satin	B	D	Ø
0172.426.316	2 80	105	42,4
0172.486.316	2 90	115	48,3


Flange Rubber



		Ø
6650.100.015	1	100
6650.110.015	1	110

Baluster Post

S

304 Indoor
satin

B

D

Ø

0165.420.304* 2 75 100 42,4 x 2,0

316 Outdoor
satin

B


D

Ø

0165.420.316* 2 75 100 42,4 x 2,0

Baluster Post to Glue

S L

304 Indoor
satin

B

D

Ø

0188.337.304 2 75 100 33,7 x 2,0

0188.420.304 2 75 100 42,4 x 2,0

0188.480.304 2 75 100 48,3 x 2,0

0188.486.304 2 75 100 48,3 x 2,6

316 Outdoor
satin

B

D

Ø

0188.337.316 2 75 100 33,7 x 2,0


0188.420.316 2 75 100 42,4 x 2,0

0188.480.316 2 75 100 48,3 x 2,0

0188.486.316 2 75 100 48,3 x 2,6

Welding Flange

S W

304 Indoor
satin

B

D

Ø

0170.426.304 2 75 100 42,4

0170.486.304 2 80 100 48,3

0171.426.304 2 90 120 42,4

0171.486.304 2 90 120 48,3

316 Outdoor
satin

B

D

Ø


0170.426.316 2 75 100 42,4

0170.486.316 2 80 100 48,3

0171.426.316 2 90 120 42,4

0171.486.316 2 90 120 48,3

Flange Cover

304 Indoor
satin

D

Ø

0186.426.304 2 105 42,4

0186.486.304 2 105 48,3

0187.426.304 2 125 42,4

0187.486.304 2 125 48,3

316 Outdoor
satin

D

Ø

0186.337.316 2 105 33,7

0186.426.316 2 105 42,4

0186.486.316 2 105 48,3

0187.426.316 2 125 42,4

0187.486.316 2 125 48,3

316 Outdoor
mirror


D

Ø

0186.426.316# 2 105 42,4

0186.486.316# 2 105 48,3

Baluster Clamp 45/60 Ø 150 **S**




304 Indoor satin			Ø	L
0521.424.304	1		42,4	45
0521.483.304	1		48,3	45

316 Outdoor satin			Ø	L
0521.424.316	1		42,4	45
0521.483.316	1		48,3	45
0522.424.316	1		42,4	60
0522.483.316	1		48,3	60


316 Outdoor mirror			Ø	L
0521.424.316#	1		42,4	45
0521.483.316#	1		48,3	45

Baluster Clamp 45 - Ø 120 mm **S**




316 Outdoor satin			Ø	L
0531.424.316*	1		42,4	45
0531.483.316*	1		48,3	45

Baluster Clamp 45 - 120 mm **S**



316 Outdoor satin			Ø	L
0533.424.316*	1		42,4	45
0533.483.316*	1		48,3	45


Tube Clamp 35 mm **S**



304 Indoor satin			B	Ø	L
0525.424.304	2		50	42,4	35
0525.483.304	2		50	48,3	35

316 Outdoor satin			B	Ø	L
0525.424.316	2		50	42,4	35
0525.483.316	2		50	48,3	35


Tube Clamp 50 mm **S**



304 Indoor satin			B	Ø	L
0526.424.304	2		55	42,4	50
0526.483.304	2		55	48,3	50



316 Outdoor satin			B	Ø	L
0526.424.316	2		55	42,4	50
0526.483.316	2		55	48,3	50


Baluster Clamp 45/60 - 300 mm **S**




316 Outdoor satin			Ø	L
0523.424.316	1		42,4	45
0523.483.316	1		48,3	45
0524.424.316	1		42,4	60
0524.483.316	1		48,3	60


Baluster Clamp Adjustable 45/60 **S**





304 Indoor satin			Ø	L
0527.424.304*	1		42,4	45
0527.483.304*	1		48,3	45
0528.424.304*	1		42,4	60
0528.483.304*	1		48,3	60

316 Outdoor satin			Ø	L
0527.424.316*	1		42,4	45
0527.483.316*	1		48,3	45
0528.424.316*	1		42,4	60
0528.483.316*	1		48,3	60

Baluster Clamp **S**



304 Indoor satin			Ø
0529.424.304	1		42,4
0529.483.304	1		48,3


316 Outdoor satin			Ø
0529.424.316	1		42,4
0529.483.316	1		48,3





Wall Flange

S




304 Indoor satin		D	Ø	H
0183.337.304	1	85	33,7	30
0183.426.304	1	95	42,4	30
0183.486.304	1	100	48,3	35

316 Outdoor satin		D	Ø	H
0183.337.316	1	85	33,7	30
0183.426.316	1	95	42,4	30
0183.486.316	1	100	48,3	35

316 Outdoor mirror		D	Ø	H
0183.426.316#	1	95	42,4	30
0183.486.316#	1	100	48,3	35

Wall Flange - Connector

S L




304 Indoor satin		Ø
0184.420.304*	1	42,4 x 2,0
0184.426.304*	1	42,4 x 2,6
0184.483.304*	1	48,3 x 2,6

316 Outdoor satin		Ø
0184.420.316*	1	42,4 x 2,0
0184.426.316*	1	42,4 x 2,6
0184.483.316*	1	48,3 x 2,6

Wall Adaptor

S




304 Indoor satin		Ø
0192.424.304	1	42,4
0192.483.304	1	48,3

316 Outdoor satin		Ø
0192.424.316	1	42,4
0192.483.316	1	48,3

Wall Adaptor Adjustable

S L




304 Indoor satin		D	Ø	H
0193.420.304	1	72	42,4 x 2,0	27
0193.426.304	1	72	42,4 x 2,6	27
0193.483.304	1	72	48,3 x 2,6	30

316 Outdoor satin		D	Ø	H
0193.420.316	1	72	42,4 x 2,0	27
0193.426.316	1	72	42,4 x 2,6	27
0193.483.316	1	72	48,3 x 2,6	30



Adaptor - Flat

S L




304 Indoor satin		Ø
0501.337.304	2	33,7 x 2,0
0501.420.304	2	42,4 x 2,0
0501.426.304	2	42,4 x 2,6
0501.480.304	2	48,3 x 2,0
0501.486.304	2	48,3 x 2,6

316 Outdoor satin		Ø
0501.337.316	2	33,7 x 2,0
0501.420.316	2	42,4 x 2,0
0501.426.316	2	42,4 x 2,6
0501.480.316	2	48,3 x 2,0
0501.486.316	2	48,3 x 2,6

Adaptor - Tube

S L




304 Indoor satin		Ø	D
0502.337.304	2	33,7 x 2,0	33,7
0503.424.304	2	42,4 x 2,0	42,4
0503.483.304	2	42,4 x 2,0	48,3
0504.424.304	2	42,4 x 2,6	42,4
0504.483.304	2	42,4 x 2,6	48,3
0505.483.304	2	48,3 x 2,0	48,3
0506.483.304	2	48,3 x 2,6	48,3

316 Outdoor satin		Ø	D
0502.337.316	2	33,7 x 2,0	33,7
0503.424.316	2	42,4 x 2,0	42,4
0503.483.316	2	42,4 x 2,0	48,3
0504.424.316	2	42,4 x 2,6	42,4
0504.483.316	2	42,4 x 2,6	48,3
0505.483.316	2	48,3 x 2,0	48,3
0506.483.316	2	48,3 x 2,6	48,3

316 Outdoor mirror		Ø	D
0503.424.316#	2	42,4 x 2,0	42,4
0506.483.316#	2	48,3 x 2,6	48,3

Adaptor

S




304 Indoor satin		Ø
0511.424.304	4	42,4
0511.483.304	4	48,3

316 Outdoor satin		Ø
0511.424.316	4	42,4
0511.483.316	4	48,3




Adaptor Connector - Flat **S L**



304 Indoor satin		Ø
0507.000.304	2	42,4 x 2,0
0508.000.304	2	42,4 x 2,6
0509.000.304	2	48,3 x 2,6

316 Outdoor satin		Ø
0507.000.316	2	42,4 x 2,0
0508.000.316	2	42,4 x 2,6
0509.000.316	2	48,3 x 2,6


Adaptor Connector - Tube **S L**



304 Indoor satin		Ø	D
0507.424.304	2	42,4 x 2,0	42,4
0507.483.304	2	42,4 x 2,0	48,3
0508.424.304	2	42,4 x 2,6	42,4
0508.483.304	2	42,4 x 2,6	48,3
0509.483.304	2	48,3 x 2,6	48,3

316 Outdoor satin		Ø	D
0507.424.316	2	42,4 x 2,0	42,4
0507.483.316	2	42,4 x 2,0	48,3
0508.424.316	2	42,4 x 2,6	42,4
0508.483.316	2	42,4 x 2,6	48,3
0509.483.316	2	48,3 x 2,6	48,3


Glass Adaptor Ø 30 - Flat **S**



304 Indoor satin		Ø
0517.000.304	4	42,4

316 Outdoor satin		Ø
0517.000.316	4	48,3

Glass Adaptor Ø 30 - Tube **S**




304 Indoor satin		Ø
0517.426.304	4	42,4
0517.486.304	4	48,3

316 Outdoor satin		Ø
0517.426.316	4	42,4
0517.486.316	4	48,3



Glass Adaptor - Bar

S



304 Indoor satin



Ø

0517.120.304

4

12

0517.160.304

4

16

316 Outdoor satin



Ø

0517.120.316

4

12


0517.160.316

4

16

Glass Adaptor Ø 50 - Flat

S



304 Indoor satin



0518.000.304

4

316 Outdoor satin



0518.000.316


4

316 Outdoor mirror




0518.000.316#

4



Glass Adaptor Ø 30 - Flat

S



304 Indoor satin



D

0517.030.304

4

30

0517.040.304

4

40

0517.050.304

4

50

316 Outdoor satin



D

0517.030.316

4

30

0517.040.316

4

40


0517.050.316

4

50

Glass Adaptor Ø 50 - Flat

S



304 Indoor satin



D

0518.030.304

4

30

0518.040.304

4

40

0518.050.304

4

50

316 Outdoor satin



D

0518.030.316

4

30

0518.040.316

4

40


0518.050.316

4

50

Glass Adaptor Ø 60 - Flat

S



316 Outdoor satin




D

0518.060.316

4

60

Sheet Adaptors Ø 25 - Flat **S**



304 Indoor
satin




0515.000.304 4

316 Outdoor
satin



0515.000.316 4

Sheet Adaptors Ø 32 - Flat **S**



304 Indoor
satin




0516.000.304 4

316 Outdoor
satin



0516.000.316 4

Sheet Adaptors Ø 25 - Tube **S**



304 Indoor
satin



Ø

0515.426.304 4 42,4

0515.486.304 4 48,3

316 Outdoor
satin




Ø

0515.426.316 4 42,4

0515.486.316 4 48,3

Sheet Adaptors Ø 32 - Tube **S**



304 Indoor
satin



Ø

0516.426.304 4 42,4

0516.486.304 4 48,3

316 Outdoor
satin




Ø


0516.426.316 4 42,4

0516.486.316 4 48,3

0515.000.xxx + 0516.000.xxx




Crossbarholder Ø 22 - Flat **S**



304 Indoor satin			Ø
0601.000.304	10	10	
0602.000.304	10	12	

316 Outdoor satin			Ø
0601.000.316	10	10	
0602.000.316	10	12	

Crossbarholder Ø 25 - Flat **S**




304 Indoor satin			Ø
0605.000.304	8	14	
0606.000.304	8	16	

316 Outdoor satin			Ø
0605.000.316	8	14	
0606.000.316	8	16	




Crossbarholder Ø 22 - Tube **S**



304 Indoor satin			D	Ø
0601.424.304	8	42,4	10	
0601.483.304	8	48,3	10	
0602.424.304	8	42,4	12	
0602.483.304	8	48,3	12	

316 Outdoor satin			D	Ø
0601.424.316	8	42,4	10	
0602.483.316	8	48,3	10	
0602.424.316	8	42,4	12	
0602.483.316	8	48,3	12	


Crossbarholder Ø 25 - Tube **S**



304 Indoor satin			D	Ø
0605.424.304	8	42,4	14	
0605.483.304	8	48,3	14	
0606.424.304	8	42,4	16	
0606.483.304	8	48,3	16	

316 Outdoor satin			D	Ø
0605.424.316	8	42,4	14	
0605.483.316	8	48,3	14	
0606.424.316	8	42,4	16	
0606.483.316	8	48,3	16	


Crossbarholder end left Ø 22 - Tube **S**



304 Indoor satin			D	Ø
0620.424.304	10		42,4	12
0620.483.304	10		48,3	12

316 Outdoor satin			D	Ø
0620.424.316	10		42,4	12
0620.483.316	10		48,3	12

Crossbarholder end right Ø 22 - Tube **S**




304 Indoor satin			D	Ø
0625.424.304	10		42,4	12
0625.483.304	10		48,3	12

316 Outdoor satin			D	Ø
0625.424.316	10		42,4	12
0625.483.316	10		48,3	12



Crossbarholder Ø 25 - double **S**




304 Indoor satin			D	Ø
0636.160.304	7		16	16

316 Outdoor satin			D	Ø
0636.160.316	7		16	16




Crossbarholder Connector Ø 22 - Flat **S**



304 Indoor satin		Ø
0610.000.304	10	10

316 Outdoor satin		Ø
0610.000.316	10	10


Crossbarholder Connector Ø 25 - Flat **S**





304 Indoor satin		Ø
0615.000.304	8	14

316 Outdoor satin		Ø
0615.000.316	8	14


Crossbarholder Connector Ø 22 - Tube **S**





304 Indoor satin		D	Ø
0610.424.304	10	42,4	10
0610.483.304	10	48,3	10
0611.424.304	10	42,4	12
0611.483.304	10	48,3	12

316 Outdoor satin		D	Ø
0610.424.316	10	42,4	10
0610.483.316	10	48,3	10
0611.424.316	10	42,4	12
0611.483.316	10	48,3	12

Crossbarholder Connector Ø 25 - Tube **S**




304 Indoor satin		D	Ø
0615.424.304	8	42,4	14
0615.483.304	8	48,3	14

316 Outdoor satin		D	Ø
0615.424.316	8	42,4	14
0615.483.316	8	48,3	14



Bar Holder Ø 22 - Flat

S



304 Indoor
satin



Ø

0650.000.304

10

12

316 Outdoor
satin



Ø


0650.000.316

10

12

Bar Holder Ø 22 - Tube

S



304 Indoor
satin



Ø

D

0650.424.304

10

12

42,4

0650.483.304

10

12

48,3

316 Outdoor
satin



Ø

D

0650.424.316

10

12

42,4

0650.483.316

10

12


48,3



0650



Bar Holder Adjustable Ø 22 - Flat


S





304 Indoor satin		Ø
0646.000.304*	8	12
316 Outdoor satin		Ø
0646.000.316*	8	12

Bar Holder Adjustable Ø 22 - tube

S






304 Indoor satin		Ø	D
0646.424.304*	8	12	42,4
0646.483.304*	8	12	48,3
316 Outdoor satin		Ø	D
0646.424.316*	8	12	42,4
0646.483.316*	8	12	48,3



Bar Holder □ 22 - Flat


S



304 Indoor satin		□
4650.000.304	4	12
316 Outdoor satin		□
4650.000.316	4	12



Slotted Tube



304 Indoor satin

	H	B	Ø	L
304 RD 42,4x24x24x1,5 MM	24	24	42,4	6000
304 RD 48,3x27x30x1,5 MM	27	30	48,3	6000
304 RD 60,3x34x34x1,5 MM	34	34	60,3	6000

316 Outdoor satin


	H	B	Ø	L
316L RD 42,4x24x24x1,5 MM	24	24	42,4	6000
316L RD 48,3x27x30x1,5 MM	27	30	48,3	6000
316L RD 60,3x34x34x1,5 MM	34	34	60,3	6000

316 Outdoor mirror

	H	B	Ø	L
316L# RD 42,4x24x24x1,5 MM	24	24	42,4	6000
316L# RD 48,3x27x30x1,5 MM	27	30	48,3	6000

End Cap

L



304 Indoor satin



		Ø
1112.426.304	2	42,4 x 1,5
1112.486.304	2	48,3 x 1,5
1112.600.304	2	60,3 x 1,5

316 Outdoor satin



		Ø
1112.426.316	2	42,4 x 1,5
1112.486.316	2	48,3 x 1,5
1112.600.316	2	60,3 x 1,5


316 Outdoor mirror



		Ø
1112.426.316#	2	42,4 x 1,5
1112.486.316#	2	48,3 x 1,5

Wall flange

L S



304 Indoor satin



	D	Ø	H	
1183.426.304	1	95	42,4	30
1183.486.304	1	100	48,3	35
1183.603.304	1	107	60,3	35


316 Outdoor satin



	D	Ø	H	
1183.426.316	1	95	42,4	30
1183.486.316	1	100	48,3	35
1183.603.316	1	107	60,3	35

Adaptor

L S



304 Indoor satin




	D	Ø
1502.424.304	2	42,4 42,4 x 1,5
1502.483.304	2	48,3 42,4 x 1,5
1503.483.304	2	48,3 48,3 x 1,5

316 Outdoor satin



	D	Ø
1502.424.316	2	42,4 42,4 x 1,5
1502.483.316	2	48,3 42,4 x 1,5
1503.483.316	2	48,3 48,3 x 1,5

Tube Connector




304 Indoor satin		Ø
1201.425.304	2	42,4 x 1,5
1201.485.304	2	48,3 x 1,5
1201.605.304	2	60,3 x 1,5

316 Outdoor satin		Ø
1201.425.316	2	42,4 x 1,5
1201.485.316	2	48,3 x 1,5
1201.605.316	2	60,3 x 1,5

316 Outdoor mirror		Ø
1201.425.316#	2	42,4 x 1,5
1201.485.316#	2	48,3 x 1,5

Tube Connector Horizontal 90°




304 Indoor satin		Ø	H
1202.425.304	2	42,4 x 1,5	30
1202.485.304	2	48,3 x 1,5	35
1202.605.304	2	60,3 x 1,5	40

316 Outdoor satin		Ø	H
1202.425.316	2	42,4 x 1,5	30
1202.485.316	2	48,3 x 1,5	35
1202.605.316	2	60,3 x 1,5	40


316 Outdoor mirror		Ø	H
1202.425.316#	2	42,4 x 1,5	30
1202.485.316#	2	48,3 x 1,5	35

Tube Connector Vertical 90°





304 Indoor satin		Ø	H
1203.425.304	2	42,4 x 1,5	30
1203.485.304	2	48,3 x 1,5	35


316 Outdoor satin		Ø	H
1203.425.316	2	42,4 x 1,5	30
1203.485.316	2	48,3 x 1,5	35




Tube Connector Adjustable **L**





304 Indoor satin			Ø	H
1224.426.304	2		42,4 x 1,5	30
1224.485.304	2		48,3 x 1,5	30
1224.603.304	2		60,3 x 1,5	30

316 Outdoor satin			Ø	H
1224.426.316	2		42,4 x 1,5	30
1224.485.316	2		48,3 x 1,5	30
1224.603.316	2		60,3 x 1,5	30


Tube Connector Adjustable **L**



304 Indoor satin			Ø	H
1225.426.304	2		42,4 x 1,5	30
1225.485.304	2		48,3 x 1,5	30
1225.603.304	2		60,3 x 1,5	30

316 Outdoor satin			Ø	H
1225.426.316	2		42,4 x 1,5	30
1225.485.316	2		48,3 x 1,5	30
1225.603.316	2		60,3 x 1,5	30


Oval Slotted Tube





304 Indoor satin		B	H	D	L
304 OV 80x40x26x33x1,5 MM		33	26	80x40x1,5	6000
304 OV 110x40x26x33x1,5 MM		33	26	110x40x1,5	6000

316 Outdoor satin		B	H	D	L
316 OV 80x40x26x33x1,5 MM		33	26	80x40x1,5	6000
316 OV 110x40x26x33x1,5 MM		33	26	110x40x1,5	6000



End Cap Oval **L**



304 Indoor satin			Ø
1112.804.304	2		80x40x1,5
1112.110.304	2		110x40x1,5

316 Outdoor satin			Ø
1112.804.316	2		80x40x1,5
1112.110.316	2		110x40x1,5


Square Slotted Tube



304 Indoor satin	H	B	D	L
304 40x40x24x24x1,5 MM	24	24	40x40x1,5	6000
304 60x40x24x24x1,5 MM	24	24	60x40x1,5	6000

316 Outdoor satin	H	B	D	L
316 40x40x24x24x1,5 MM	24	24	40x40x1,5	6000
316 60x40x24x24x1,5 MM	24	24	60x40x1,5	6000


Wall Flange Square L S



304 Indoor satin		H	W	D
4183.404.304	2	28	40x40x1,5	95x95
4183.640.304	2	28	60x40x1,5	100x80

316 Outdoor satin		H	W	D
4183.404.316	2	28	40x40x1,5	95x95
4183.640.316	2	28	60x40x1,5	100x80


Tube Connector Square L



304 Indoor satin		W
4201.404.304	2	40x40x1,5
4201.640.304	2	60x40x1,5

316 Outdoor satin		W
4201.404.316	2	40x40x1,5
4201.640.316	2	60x40x1,5


End Cap Square L



304 Indoor satin		W
4112.404.304	2	40x40x1,5
4112.640.304	2	60x40x1,5

316 Outdoor satin		W
4112.404.316	2	40x40x1,5
4112.640.316	2	60x40x1,5


Tube Connector 90° Horizontal L



304 Indoor satin		W	H
4202.404.304	2	40x40x1,5	50
4202.640.304	2	60x40x1,5	70

316 Outdoor satin		W	H
4202.404.316	2	40x40x1,5	50
4202.640.316	2	60x40x1,5	70


Tube Connector 90° Vertical L



304 Indoor satin		W	H
4203.404.304	2	40x40x1,5	30
4203.640.304	2	60x40x1,5	30

316 Outdoor satin		W	H
4203.404.316	2	40x40x1,5	30
4203.640.316	2	60x40x1,5	30

End Cap



304 Indoor
satin



W

4110.420.304*

2

40x40x2,0

316 Outdoor
satin




W

4110.420.316*

2

40x40x2,0

Tube Connector



304 Indoor
satin



W

4201.420.304*

2

40x40x2,0

316 Outdoor
satin




W

4201.420.316*

2

40x40x2,0

Tube Connector 90°



304 Indoor
satin



W

H

4203.420.304*

2

40x40x2,0 60

316 Outdoor
satin



W


H

4203.420.316*

2

40x40x2,0 60

Tube Connector T-90°



304 Indoor
satin



W

H

4204.420.304*

2

40x40x2,0 30

316 Outdoor
satin



W


H

4204.420.316*

2

40x40x2,0 30

Tube Connector T



304 Indoor
satin



W

H

4206.420.304*

2

40x40x2,0 60

316 Outdoor
satin



W


H

4206.420.316*

2

40x40x2,0 60

Tube Connector Adjustable



304 Indoor
satin



W

H

4221.420.304*

2

40x40x2,0 60

316 Outdoor
satin



W


H

4221.420.316*

2

40x40x2,0 60


Handrail Bracket - Flat **S**



304 Indoor satin	
4321.000.304*	2

316 Outdoor satin	
4321.000.316*	2


Handrail Bracket - Tube **S**



304 Indoor satin		Ø
4321.424.304*	2	42,4
4321.483.304*	2	48,3

316 Outdoor satin		Ø
4321.424.316*	2	42,4
4321.483.316*	2	48,3


Handrail Bracket - Flat **S**



304 Indoor satin	
4325.000.304*	2

316 Outdoor satin	
4325.000.316*	2


Handrail Bracket - Tube **S**



304 Indoor satin		Ø
4325.420.304*	2	42,4
4325.480.304*	2	48,3

316 Outdoor satin		Ø
4325.420.316*	2	42,4
4325.480.316*	2	48,3


Handrail Support - Flat **L S**



304 Indoor satin		W	H
4342.000.304*	2	40x40x2,0	81

316 Outdoor satin		W	H
4342.000.316*	2	40x40x2,0	81

Handrail Support - Tube **L S**




304 Indoor satin		Ø	W	H
4342.420.304*	2	42,4	40x40x2,0	79
4342.480.304*	2	48,3	40x40x2,0	79

316 Outdoor satin		Ø	W	H
4342.420.316*	2	42,4	40x40x2,0	79
4342.480.316*	2	48,3	40x40x2,0	79

corresponding bars can be found on page 64


Handrail Support Adjustable - Flat **L S**



304 Indoor satin		W	H
4442.000.304*	2	40x40x2,0	81

316 Outdoor satin		W	H
4442.000.316*	2	40x40x2,0	81


Handrail Support Adjustable - Tube **L S**



304 Indoor satin		Ø	W	H
4442.420.304*	2	42,4	40x40x2,0	79
4442.480.304*	2	48,3	40x40x2,0	79

316 Outdoor satin		Ø	W	H
4442.420.316*	2	42,4	40x40x2,0	79
4442.480.316*	2	48,3	40x40x2,0	79

Handrail Support Flat - 90° **L S**



304 Indoor satin		W	H
4342.009.304	2	40x40x2,0	81

316 Outdoor satin		W	H
4342.009.316	2	40x40x2,0	81



Handrail Support Tube - 90° **L S**



304 Indoor satin		Ø	W	H
4342.429.304	2	42,4	40x40x2,0	79

316 Outdoor satin		Ø	W	H
4342.429.316	2	42,4	40x40x2,0	79



Wall Flange **S**



304 Indoor satin		D	W	H
4183.420.304*	2	95x95	40x40	28

316 Outdoor satin		D	W	H
4183.420.316*	2	95x95	40x40	28

Wall Flange - Connector **L S**




304 Indoor satin		D	W	H
4184.420.304*	2	95x95	40x40x2,0	6

316 Outdoor satin		D	W	H
4184.420.316*	2	95x95	40x40x2,0	6

Adaptor - Flat

L S



304 Indoor satin



W

4501.420.304* 2 40x40x2,0

316 Outdoor satin




W

4501.420.316* 2 40x40x2,0

Adaptor - Tube

L S



304 Indoor satin



Ø W

4503.420.304* 2 42,4 40x40x2,0

4503.483.304* 2 48,3 40x40x2,0

316 Outdoor satin




Ø W

4503.420.316* 2 42,4 40x40x2,0

4503.480.316* 2 48,3 40x40x2,0

Baluster Clamp

S



304 Indoor satin



W

4521.404.304 1 40x40

316 Outdoor satin




W

4521.404.316 1 40x40

Tube Clamp 40x40

S



304 Indoor satin



W

4525.404.304 1 40x40

316 Outdoor satin




W

4525.404.316 1 40x40

Baluster Clamp Adjustable

S



304 Indoor satin



W H

4527.404.304 1 40x40 79

316 Outdoor satin



W H


4527.404.316 1 40x40 79



corresponding bars can be found on page 64

Baluster Post

S



304 Indoor
satin



W L

4164.420.304* 2 40x40x2,0 100

316 Outdoor
satin




W L

4164.420.316* 2 40x40x2,0 100

Welding Flange

S W



304 Indoor
satin



W

4180.420.304* 2 40x40


316 Outdoor
satin



W

4180.420.316* 2 40x40

Flange Cover



304 Indoor
satin



W

4187.420.304* 2 40x40

316 Outdoor
satin




W

4187.420.316* 2 40x40

Crossbarholder □ 22 - Flat

S



304 Indoor
satin



□


4650.000.304 4 12

316 Outdoor
satin





□

4650.000.316 4 12



End Cap



304 Indoor
satin



Ø

H


0242.420.304*

2

42,4

25

End scroll



304 Indoor
satin



Ø

H


0243.420.304*

2

42,4

65

Tube Connector



304 Indoor
satin



Ø

H


0244.420.304*

2

42,4

50

Tube Connector Adjustable



304 Indoor
satin



Ø

H


0245.420.304*

2

42,4

49

Tube Connector 90°



304 Indoor
satin



Ø

H


0246.420.304*

2

42,4

65

Tube Connector 90°



304 Indoor
satin



Ø

H


0247.420.304*

2

42,4

65

Tube Connector 135°



304 Indoor
satin



Ø

H


0248.420.304*

2

42,4

65

End Cap 45°



304 Indoor
satin



Ø

H


0250.420.304

2

42,4

65


Handrail Support - Tube **L**



304 Indoor satin		D	Ø	H
0251.420.304	2	42,4	42,4 x 2,0	79
0251.426.304	2	42,4	42,4 x 2,6	79
0251.486.304	2	42,4	48,3 x 2,6	79



Wood to Stainless Adaptor **L**



304 Indoor satin		D	Ø
0252.420.304	2	42,4	42,4 x 2,0

Center Tool



304 Indoor satin	
0249.420.011	1



Adaptor **L S**



304 Indoor satin	
0249.420.012	1



Railing Saddle - Flat

S



304 Indoor
satin



3301.000.304 4

316 Outdoor
satin



3301.000.316 4

Railing Saddle - Flat - 90°

S



304 Indoor
satin



3340.000.304 2

316 Outdoor
satin



3340.000.316 2

Railing Saddle - Tube

S



304 Indoor
satin



Ø

3301.337.304 4 33,7

3301.424.304 4 42,4

3301.483.304 4 48,3

316 Outdoor
satin



Ø

3301.337.316 4 33,7

3301.424.316 4 42,4

3301.483.316 4 48,3

Railing Saddle - Tube - 90°

S



304 Indoor
satin



Ø

3340.337.304 2 33,7

3340.424.304 2 42,4

3340.483.304 2 48,3

316 Outdoor
satin



Ø

3340.337.316 2 33,7

3340.424.316 2 42,4

3340.483.316 2 48,3

Handrail Support M8 - M6

S



304 Indoor
satin



G D H

3303.068.304 2 M6 M8 68

316 Outdoor
satin



G D H

3303.068.316 2 M6 M8 68

Handrail Support M8

S



304 Indoor
satin



H

5303.068.304 2 M8 68

5303.125.304 2 M8 125

316 Outdoor
satin





H


5303.068.316 2 M8 68

5303.125.316 2 M8 125


Railing Saddle - Flat - 90° **S**





304 Indoor satin		
3342.000.304	4	

316 Outdoor satin		
3342.000.316	4	


Railing Saddle - Tube - 90° **S**





304 Indoor satin			Ø
3342.337.304	4		33,7
3342.424.304	4		42,4
3342.483.304	4		48,3

316 Outdoor satin			Ø
3342.337.316	4		33,7
3342.424.316	4		42,4
3342.483.316	4		48,3


Railing Saddle - Flat - 135° **S**





304 Indoor satin		
3345.000.304	4	

316 Outdoor satin		
3345.000.316	4	

Railing Saddle - Tube - 135° **S**





304 Indoor satin			Ø
3345.337.304	4		33,7
3345.424.304	4		42,4
3345.483.304	4		48,3

316 Outdoor satin			Ø
3345.337.316	4		33,7
3345.424.316	4		42,4
3345.483.316	4		48,3


Handrail Support Adjustable M8 **S**





304 Indoor satin			M6	M8
3403.068.304	4			

316 Outdoor satin			M6	M8
3403.068.316	4			


End Caps Arched - QuickFix **H**





304 Indoor satin			Ø	
0124.337.304	2	M8	33,7x2,0	
0124.420.304	2	M8	42,4x2,0	
0124.426.304	2	M8	42,4x2,6	
0124.480.304	2	M8	48,3x2,0	
0124.486.304	2	M8	48,3x2,6	

316 Outdoor satin			Ø	
0124.337.316	2	M8	33,7x2,0	
0124.420.316	2	M8	42,4x2,0	
0124.426.316	2	M8	42,4x2,6	
0124.480.316	2	M8	48,3x2,0	
0124.486.316	2	M8	48,3x2,6	

End Caps Flat - QuickFix **H**



304 Indoor satin			Ø	
0125.337.304	2	M8	33,7x2,0	
0125.420.304	2	M8	42,4x2,0	
0125.426.304	2	M8	42,4x2,6	
0125.480.304	2	M8	48,3x2,0	
0125.486.304	2	M8	48,3x2,6	

316 Outdoor satin			Ø	
0125.337.316	2	M8	33,7x2,0	
0125.420.316	2	M8	42,4x2,0	
0125.426.316	2	M8	42,4x2,6	
0125.480.316	2	M8	48,3x2,0	
0125.486.316	2	M8	48,3x2,6	






Cable




316 Outdoor satin		Ø
I830-0400-025	25M	4 mm
I830-0400-050	50M	4 mm
I830-0400-100	100M	4 mm
I830-0500-025	25M	5 mm
I830-0500-050	50M	5 mm
I830-0500-100	100M	5 mm
I830-0600-025	25M	6 mm
I830-0600-050	50M	6 mm
I830-0600-100	100M	6 mm

Light Clamp Ring




316 Outdoor satin	b	d1	Ø mm
I863-0400	1 10	15	4
I863-0500	1 10	24	5
I863-0600	1 10	24	6

Screwed External Thread Ends RH




316 Outdoor satin	b	c	Ø	a
I826-0400-060	1 115	60	4 mm	M6
I826-0500-060	1 117	60	5 mm	M8
I826-0600-060	1 117	60	6 mm	M8

Screwed External Thread Ends LH




316 Outdoor satin	b	c	Ø	a
I827-0400-060	1 115	60	4 mm	M6
I827-0500-060	1 117	60	5 mm	M8
I827-0600-060	1 117	60	6 mm	M8

Screwed Internal Thread Ends RH




316 Outdoor satin	b	d	Ø	a	c
I831-0400	1 55	13	4 mm	M6	18
I831-0500	1 57	15	5 mm	M8	20
I831-0600	1 57	15	6 mm	M8	20

Screwed Internal Thread Ends LH




316 Outdoor satin	b	d	Ø	a	c
I832-0400	1 55	13	4 mm	M6	18
I832-0500	1 57	15	5 mm	M8	20
I832-0600	1 57	15	6 mm	M8	20

End Stop Internal Thread RH




316 Outdoor satin	b1	Ød1	Ød2	a	b2	c
I869-0600-02	1	35	8	14	M6	30
I869-0800-02	1	40	10	16	M8	34

Turnbuckle Barrel LH/RH




316 Outdoor satin	b	Ød	a
I875-0800	1	92	10
I875-0600	1	112	13,5

Fork with External Thread RH




316 Outdoor satin	b	Ød	e	a	f	g	c
I871-0600	1	73	5	6	M6	12	7,5
I871-0800	1	86	6	7	M8	13	10

Fork with External Thread LH




316 Outdoor satin	b	Ød	e	a	f	g	c
I872-0600	1	73	5	6	M6	12	7,5
I872-0800	1	86	6	7	M8	13	10

Eye with External Thread RH




316 Outdoor satin	b	Ød	e	a	f	c
I885-0600	1	16	6,5	7	M6	61
I885-0800	1	21	8,5	8,5	M8	78

Eye with External Thread LH




316 Outdoor satin	b	Ød	e	a	f	c
I886-0600	1	16	6,5	7	M6	61
I886-0800	1	21	8,5	8,5	M8	78

Hexagon Nut RH Thread




316 Outdoor satin		k	sw	a
I892-0600	1	10	5	M6
I892-0800	1	13	6,5	M8

Hexagon Nut LH Thread




316 Outdoor satin		k	sw	a
I893-0600	1	10	5	M6
I893-0800	1	13	6,5	M8

Dome Nut RH Thread




316 Outdoor satin		c	sw	h	a
I894-0600	1	6	10	12	M6
I894-0800	1	8,5	13	15	M8

Flat Washer




316 Outdoor satin		Ød2	k	Ød1
I896-0600	1	11	1,6	M6
I896-0800	1	15	1,6	M8


Ball End RH Thread




316 Outdoor satin		b	Ød1	c	a
I898-0600-01	1	18,8	20	10	M6
I898-0800-01	1	22,4	24	12	M8


Eye Internal Thread RH




316 Outdoor satin	 b	Ød	e	a	f	c
I906-0600	1	78	6	8	M6	19 40
I906-0800	1	78	6	8	M8	19 40


Eye Internal Thread LH




316 Outdoor satin	 b	Ød	e	a	f	c
I907-0600	1	78	6	8	M6	19 40
I907-0800	1	78	6	8	M8	19 40


Fork External Thread RH




316 Outdoor satin	 b	Ød	e	a	f	c
I945-0600	1	77	6	7,5	M6	14 35
I945-0800	1	77	6	7,5	M8	14 35

Fork External Thread LH




316 Outdoor satin	 b	Ød	e	a	f	c
I946-0600	1	77	6	7,5	M6	14 35
I946-0800	1	77	6	7,5	M8	14 35

Cable Holder 22m - Flat




316 Outdoor satin		D
0704.000.316	8	4
0705.000.316	8	5
0706.000.316	8	6

Cable Holder 22mm - Tube




316 Outdoor satin		D	Ø
0704.424.316	8	4	42,4
0704.483.316	8	4	48,3
0705.424.316	8	5	42,4
0705.483.316	8	5	48,3
0706.424.316	8	6	42,4
0706.483.316	8	6	48,3

Cable Holder 22mm - Flat - End left




316 Outdoor satin	
0720.000.316	8

Cable Holder 22mm - Flat - End right




316 Outdoor satin	
0725.000.316	8

Cable Holder 22mm - Tube - End left




316 Outdoor satin		Ø
0720.424.316	8	42,4
0720.483.316	8	48,3

Cable Holder 22mm - Tube - End right




316 Outdoor satin		Ø
0725.424.316	8	42,4
0725.483.316	8	48,3

End Stop Internal Thread



316 Outdoor satin		b1	Ød1	Ød2	a	b2	c
1869-0600-02	1	35	8	14	M6	30	20
1869-0800-02	1	40	10	16	M8	34	25

Railing Tube Round



304 Indoor satin

	Ø
T.304* <S> RD 16,0x1,0 MM 6 mtr	16 x 1,0
T.304* <S> RD 33,7x2,0 MM 6 mtr	33,7 x 2,0
T.304* <S> RD 42,4x2,0 MM 6 mtr	42,4 x 2,0
T.304* <S> RD 48,3x2,0 MM 6 mtr	48,3 x 2,0
T.304* <S> RD 42,4x2,6 MM 6 mtr	42,4 x 2,6
T.304* <S> RD 48,3x2,6 MM 6 mtr	48,3 x 2,6
T.304* <S> RD 60,3x2,0 MM 6 mtr	60,3 x 2,0


316 Outdoor satin

	Ø
T.316L* <S> RD 16,0x1,0 MM 6 mtr	16 x 1,0
T.316L* <S> RD 33,7x2,0 MM 6 mtr	33,7 x 2,0
T.316L* <S> RD 42,4x2,0 MM 6 mtr	42,4 x 2,0
T.316L* <S> RD 48,3x2,0 MM 6 mtr	48,3 x 2,0
T.316L* <S> RD 42,4x2,6 MM 6 mtr	42,4 x 2,6
T.316L* <S> RD 48,3x2,6 MM 6 mtr	48,3 x 2,6
T.316L* <S> RD 60,3x2,0 MM 6 mtr	60,3 x 2,0

316 Outdoor mirror

	Ø
T.316L# <S> RD 42,4x2,0 MM 6 mtr	42,4 x 2,0
T.316L# <S> RD 48,3x2,6 MM 6 mtr	48,3 x 2,0

Round Slotted Tube




304 Indoor satin

	H	B	Ø
6 mtr	24	24	42,4
6 mtr	30	27	48,3
6 mtr	34	34	60,3

316 Outdoor satin

	H	B	Ø
6 mtr	24	24	42,4
6 mtr	30	27	48,3
6 mtr	34	34	60,3

Railing Tube Square



304 Indoor satin


	W	T
6 mtr	40x40	2,0

316 Outdoor satin

	W	T
6 mtr	40x40	2,0

Other dimensions on request

Oval Slotted Tube




304 Indoor satin

	H	H2	B	D
6 mtr	26	40	33	80
6 mtr	26	40	33	110

316 Outdoor satin

	H	H2	B	D
6 mtr	26	40	33	80
6 mtr	26	40	33	110

Square / Rectangular Slotted Tube




304 Indoor satin

	H	B	D
6 mtr	24	24	60
6 mtr	24	24	40

316 Outdoor satin

	H	B	D
6 mtr	24	24	60
6 mtr	24	24	40

Round Bar



304 Indoor satin


		Ø
T.304* RD 10 MM K320	3mtr	10
T.304* RD 12 MM K320	3mtr	12
T.304* RD 14 MM K320	3mtr	14
T.304* RD 16 MM K320	3mtr	16
T.304* RD 10 MM K320 6M	6mtr	10
T.304* RD 12 MM K320 6M	6mtr	12

316 Outdoor satin



		Ø
T.316*"L" RD 10 MM K320	3mtr	10
T.316*"L" RD 12 MM K320	3mtr	12
T.316*"L" RD 16 MM K320	3mtr	16


Square Bar



304 Indoor satin

		□
T.304* 4KT 12 MM K320	3mtr	12

Coque para fita tubular corrente



Rubber	L	Ø	B	G
6770.424.0800	6250	42,4	24	8 - 11
6770.424.1150	6250	42,4	24	11,5 - 13,5
6770.424.1600	6250	42,4	24	16 - 17,5
6770.424.2000	6250	42,4	24	20 - 21,5
6770.483.0800	6250	48,3	27	8 - 11
6770.483.1150	6250	48,3	27	11,5 - 13,5
6770.483.1600	6250	48,3	27	16 - 17,5
6770.483.2000	6250	48,3	27	20 - 21,5
6770.603.0800	6250	60,3	34	8 - 11
6770.603.1150	6250	60,3	34	11,5 - 13,5
6770.603.1600	6250	60,3	34	16 - 17,5
6770.603.2000	6250	60,3	34	20 - 21,5
6770.603.2552	6250	60,3	34	25,52
6770.804.0800	6250	80/110x40	27	8 - 11
6770.804.1150	6250	80/110x40	27	11,5 - 13,5
6770.804.1600	6250	80/110x40	27	16 - 17
6770.804.2000	6250	80/110x40	27	20 - 21,5

SB-Cleaner



6740.01 1

Before delivering the project and during maintenance we advise you to use SB-Cleaner 6740.01

SB-Super Cleaner



6740.02 1

If you encounter corrosion or defects caused by aggressive influences, use SB-supercleaner 6740.02

SB-Glue 50g



6740.03 1

SB-Glue 6740.03 is the ideal adhesive for cylindrical joints. Just a small quantity is sufficient to achieve solid bonding, as long as it is applied properly

SB-activator spray



6740.04 1

SB-aktivator spray ensures a faster curing time, which promotes better hardening

SB-Cleaner spray



6740.05 1

SB-Cleaner spray can be used to clean and degrease parts. This product should always be used before bonding parts together

SB-Screw retention 50g




6740.06 1

SB-Screw retention is the ideal adhesive for locking bolts and socket-head screws. After cleaning parts with SB SB-Cleaner 6740.05, apply a drop of this glue on the thread of the screw.




Glass Clip Model 00 - Flat **S**



304 Indoor satin		
00.A2.000.01	4	
316 Outdoor satin		
00.A4.000.01	4	
Zamac Stainless look		
00.ZN.000.01	4	

Glass Clip Model 00 - Tube **S**



304 Indoor satin		Ø
00.A2.033.01	4	33,7
00.A2.042.01	4	42,4
316 Outdoor satin		Ø
00.A4.033.01	4	33,7
00.A4.042.01	4	42,4
Zamac Stainless look		Ø
00.ZN.042.01	4	42,4

Glass Clip Model 00 - Flat **S**



Zamac Crude		color
00.ZN.000.00	4	
00.ZN.000.05	4	black
00.ZN.000.06	4	black

Glass Clip Model 00 - Tube **S**




Zamac Crude		Ø	color
00.ZN.042.00	4	42,4	
00.ZN.042.05	4	42,4	black

Rubbers Model 00




Rubbers Model 00		Glass
6760.00.0600	8	6 mm
6760.00.0676	8	6,76 mm (3-0,76-3)
6760.00.0800	8	8 mm

Glass Clip Model 01 - Flat **S**



304 Indoor satin		
01.A2.000.01	4	
316 Outdoor satin		
01.A4.000.01	4	
Zamac Stainless look		
01.ZN.000.01	4	

Glass Clip Model 01 - Tube **S**



304 Indoor satin			Ø
01.A2.042.01	4		42,4
316 Outdoor satin			Ø
01.A4.042.01	4		42,4
316 Outdoor Mirror			Ø
01.A4.042.01#	4		42,4
Zamac Stainless look			Ø
01.ZN.042.01	4		42,4

Glass Clip Model 01 - Flat **S**



Zamac Crude			color
01.ZN.000.00	4		
01.ZN.000.05	4		black

Glass Clip Model 01 - Tube **S**




Zamac Crude			Ø	color
01.ZN.042.00	4		42,4	
01.ZN.042.05	4		42,4	black




Rubbers Model 01



Rubbers Model 01		Glass
6760.01.0600	8	6 mm
6760.01.0676	8	6,76 mm (3-0,76-3)
6760.01.0800	8	8 mm
6760.01.0876	8	8,76 mm (4-0,76-4)
6760.01.0952	8	9,52 mm (4-1,52-4)
6760.01.1000	8	10 mm


Glass Clip Model 02 - Flat **S**



304 Indoor satin		
02.A2.000.01	4	
316 Outdoor satin		
02.A4.000.01	4	
Zamac Stainless look		
02.ZN.000.01	4	


Glass Clip Model 02 - Flat **S**




Zamac Crude			color
02.ZN.000.00	4		
02.ZN.000.05	4		black
02.ZN.000.06	4		white





Rubbers Model 02



Rubbers Model 02		Glass
6760.02.0600	8	6 mm
6760.02.0676	8	6,76 mm (3-0,76-3)
6760.02.0800	8	8 mm
6760.02.0876	8	8,76 mm (4-0,76-4)
6760.02.0952	8	9,52 mm (4-1,52-4)
6760.02.1000	8	10 mm


Glass Clip Model 02 - Tube **S**



304 Indoor satin			Ø
02.A2.042.01	4		42,4
02.A2.048.01	4		48,3
316 Outdoor satin			Ø
02.A4.042.01	4		42,4
02.A4.048.01	4		48,3
316 Outdoor Mirror			Ø
02.A4.042.01#	4		42,4
02.A4.048.01#	4		48,3
Zamac Stainless look			Ø
02.ZN.042.01	4		42,4
02.ZN.048.01	4		48,3

Glass Clip Model 02 - Tube **S**




Zamac Crude			Ø	color
02.ZN.042.00	4		42,4	
02.ZN.048.00	4		48,3	
02.ZN.042.05	4		42,4	black
02.ZN.048.05	4		48,3	black




Standard in Packing Model 02

Glass Clip Model 03 - Flat **S**



304 Indoor satin	
03.A2.000.01	4
316 Outdoor satin	
03.A4.000.01	4

Glass Clip Model 03 - Tube **S**



304 Indoor satin		Ø
03.A2.042.01	4	42,4
316 Outdoor satin		Ø
03.A4.042.01	4	42,4

Standard in Packing Model 03




Rubbers Model 03




Rubbers Model 03		Glass
6760.03.0600	8	6 mm
6760.03.0676	8	6,76 mm (3-0,76-3)
6760.03.0800	8	8 mm
6760.03.0876	8	8,76 mm (4-0,76-4)
6760.03.0952	8	9,52 mm (4-1,52-4)
6760.03.1000	8	10 mm

Glass Clip Model 04 - Flat **S**



Material	Icon	Color
304 Indoor satin		
04.A2.000.01	4	
316 Outdoor satin		
04.A4.000.01	4	
Zamac Stainless look		
04.ZN.000.01	4	

Glass Clip Model 04 - Tube **S**



Material	Icon	Color	Tube Diameter (Ø)
304 Indoor satin			
04.A2.048.01	4		48,3
316 Outdoor satin			
04.A4.048.01	4		48,3
Zamac Stainless look			
04.ZN.048.01	4		48,3

Glass Clip Model 04 - Flat **S**



Material	Icon	Color
Zamac Crude		
04.ZN.000.00	4	
04.ZN.000.05	4	black

Glass Clip Model 04 - Tube **S**



Material	Icon	Color	Tube Diameter (Ø)
Zamac Crude			
04.ZN.048.00	4		48,3

Rubbers Model 04




Rubbers Model 04	Icon	Glass
6760.04.0952	8	9,52 mm (4-1,52-4)
6760.04.1000	8	10 mm
6760.04.1152	8	11,52 mm (5-1,52-5)
6760.04.1200	8	12 mm
6760.04.1276	8	12,76 mm (6-0,76-6)
6760.04.1352	8	13,52 mm (6-1,52-6)
6760.04.1500	8	15 mm
6760.04.1676	8	16,76 mm (8-0,76-8)
6760.04.1752	8	17,52 mm (8-1,52-8)

Standard in Packing Model 04




Glass Clip Model 05 - Flat **S**



304 Indoor satin		
05.A2.000.01	4	
316 Outdoor satin		
05.A4.000.01	4	
Zamac Stainless look		
05.ZN.000.01	4	

Glass Clip Model 05 - Tube **S**



304 Indoor satin			Ø
05.A2.042.01	4		42,4
05.A2.048.01	4		48,3
316 Outdoor satin			Ø
05.A4.042.01	4		42,4
05.A4.048.01	4		48,3
Zamac Stainless look			Ø
05.ZN.042.01	4		42,4
05.ZN.048.01	4		48,3

Glass Clip Model 05 - Flat **S**



Zamac Crude		
05.ZN.000.00	4	

Glass Clip Model 05 - Tube **S**



Zamac Crude			Ø
05.ZN.042.00	4		42,4
05.ZN.048.00	4		48,3

Rubbers Model 05







Rubbers Model 05		Glass
6760.05.1076	8	10,76 mm (5-0,76-5 mm)
6760.05.1152	8	11,52 mm (5-1,52-5 mm)
6760.05.1200	8	12 mm
6760.05.1276	8	12,76 mm (6-0,76-6 mm)

Standard in Packing Model 05




Glass Clip Model 06 - Flat **S**



304 Indoor satin		
06.A2.000.01	4	
316 Outdoor satin		
06.A4.000.01	4	
Zamac Stainless look		
06.ZN.000.01	4	

Glass Clip Model 06 - Flat **S**




Zamac Crude		color
06.ZN.000.00	4	
06.ZN.000.05	4	black

Standard in Packing Model 06








Rubbers Model 06



Rubbers Model 06		Glass
6760.06.0800	8	8 mm
6760.06.0876	8	8,76 mm (4-0,76-4)
6760.06.0952	8	9,52 mm (4-1,52-4)
6760.06.1000	8	10 mm
6760.06.1076	8	10,76 mm (5-0,76-5)
6760.06.1152	8	11,52 mm (5-1,52-5)
6760.06.1200	8	12mm
6760.06.1276	8	12,76 mm (6-0,76-6)


Glass Clip Model 06 - Tube **S**




304 Indoor satin		Ø
06.A2.042.01	4	42,4
06.A2.048.01	4	48,3
316 Outdoor satin		Ø
06.A4.042.01	4	42,4
06.A4.048.01	4	48,3
316 Outdoor Mirror		Ø
06.A4.042.01#	4	42,4
06.A4.048.01#	4	48,3
Zamac Stainless look		Ø
06.ZN.042.01	4	42,4
06.ZN.048.01	4	48,3




Glass Clip Model 06 - Tube **S**




Zamac Crude		Ø	color
06.ZN.042.00	4	42,4	
06.ZN.048.00	4	48,3	
06.ZN.042.05	4	42,4	black
06.ZN.048.05	4	48,3	black




Glass Clip Model 07 - Flat **S**



304 Indoor satin		
07.A2.000.01	4	
316 Outdoor satin		
07.A4.000.01	4	
Zamac Stainless look		
07.ZN.000.01	4	

Glass Clip Model 07 - Tube **S**



304 Indoor satin			Ø
07.A2.254.01	4		25,4
07.A2.337.01	4		33,7
316 Outdoor satin			Ø
07.A4.254.01	4		25,4
07.A4.337.01	4		33,7
Zamac Stainless look			Ø
07.ZN.254.01	4		25,4
07.ZN.337.01	4		33,7


Glass Clip Model 07 - Flat **S**



Zamac Crude		
07.ZN.000.00	4	


Glass Clip Model 07 - Tube **S**




Zamac Crude			Ø
07.ZN.254.00	4		25,4
07.ZN.337.00	4		33,7

Rubbers Model 07



Rubbers Model 07		Glass
6760.07.0600	8	6 mm
6760.07.0676	8	6,76 mm (3-0,76-3)
6760.07.0800	8	8 mm
6760.07.0876	8	8,76 mm (4-0,76-4)

Glass Clip Model 08 - Flat **S**




316 Outdoor
satin



08.A4.000.01 4

Glass Clip Model 08 - Tube **S**



316 Outdoor
satin




Ø

08.A4.042.01 4 42,4

08.A4.048.01 4 48,3

Glass Clip Model 09 - Flat **S**




316 Outdoor
satin



09.A4.000.01 4

Glass Clip Model 09 - Tube **S**



316 Outdoor
satin



Ø

09.A4.042.01 4 42,4

09.A4.048.01 4 48,3

Rubbers Model 08/09




Rubbers
Model 08/09



Glass

6760.09.0800	8	8 mm
6760.09.0876	8	8,76 mm (4-0,76-4)
6760.09.0952	8	9,52 mm (4-1,52-4)
6760.09.1000	8	10 mm
6760.09.1076	8	10,76 mm (5-0,76-5)
6760.09.1152	8	11,52 mm (5-1,52-5)
6760.09.1200	8	12 mm
6760.09.1276	8	12,76 mm (6-0,76-6)

Glass Clip Model 10 - 090 **S**



304 Indoor
satin




10.A2.090.01 2

316 Outdoor
satin



10.A4.090.01 2

Glass Clip Model 10 - 180 **S**



304 Indoor
satin



10.A2.180.01 2

316 Outdoor
satin



10.A4.180.01 2

Rubbers Model 10




Rubbers
Model 10



Glass

6760.10.0600	8	6 mm
6760.10.0800	8	8 mm
6760.10.0876	8	8,76 mm (4-0,76-4)
6760.10.0952	8	9,52 mm (4-1,52-4)
6760.10.1000	8	10 mm

Glass Clip Model 11 - 000 **S**




316 Outdoor
satin



11.A4.000.01 2 16,76 - 19 mm

Glass

Glass Clip Model 11 - 270 **S**




316 Outdoor
satin



11.A4.270.01 2 16,76 - 19 mm

Glass

Glass Clip Model 11 - 090 **S**




316 Outdoor
satin



11.A4.090.01 2 16,76 - 19 mm

Glass

Glass Clip Model 11 - 180 **S**



316 Outdoor
satin




11.A4.180.01 2 16,76 - 19 mm

Glass



Tube Connector

L



316 Outdoor
satin black



Ø


0201.420.316@

2

42,4 x 2,0

Tube Connector 135°

L



316 Outdoor
satin black



Ø

H


0202.420.316@

2

42,4 x 2,0 30

Tube Connector 90°

L



316 Outdoor
satin black



Ø

H


0203.420.316@

2

42,4 x 2,0 30

Tube Connector T-90°

L



316 Outdoor
satin black



Ø

H


0204.420.316@

2

42,4 x 2,0 30

Tube Connector 90°

L



316 Outdoor
satin black



Ø

H


0205.420.316@

2

42,4 x 2,0 35

Tube Connector T

L



316 Outdoor
satin black



Ø

H


0206.420.316@

2

42,4 x 2,0 70

Tube Connector Adjustable

L



316 Outdoor
satin black



Ø

H

0221.420.316@


2

42,4 x 2,0 27

Wall Connector Adjustable

L

S



316 Outdoor
satin black



Ø


H

0231.420.316@

2

42,4 x 2,0 27

Handrail Support - Tube **L S**




316 Outdoor
satin black



D Ø H

0342.420.316@ 2 42,4 42,4 x 2,0 79

Handrail Support - Flat **L S**




316 Outdoor
satin black



Ø H

0342.000.316@ 2 42,4 x 2,0 81

Handrail Support Adjustable - Flat **L S**




316 Outdoor
satin black



Ø H

0442.000.316@ 2 42,4 x 2,0 81

Handrail Support - Tube **L S**




316 Outdoor
satin black



D Ø H

0342.429.316@ 2 42,4 42,4 x 2,0 79

Handrail Support M8 Adjustable - Tube **S**




316 Outdoor
satin black



Ø H

0461.420.316@ 2 42,4 M8

Handrail Support Adjustable - Tube **L S**




316 Outdoor
satin black



D Ø H

0442.420.316@ 2 42,4 42,4 x 2,0 79

Handrail Support - Flat **S**




316 Outdoor
satin black



0321.000.316@ 2

Handrail Support - Tube **S**




316 Outdoor
satin black



Ø
42,4

0321.420.316@ 2

Handrail Support - Tube **S**



316 Outdoor
satin black




Ø

0322.420.316@

2

42,4

Handrail Support - Flat **S**




316 Outdoor
satin black



0305.000.316@

2

Handrail Support - Tube **S**



316 Outdoor
satin black




0305.420.316@

2

Ø

42,4

Handrail Support Adjustable - Flat **S**




316 Outdoor
satin black



0405.000.316@

2

Handrail Support Adjustable - Tube **S**



316 Outdoor
satin black




0405.420.316@

2

Ø

42,4

End Ball **L**



316 Outdoor
satin black



0101.120.316@

2


Ø

H

12

ca.17,5

End scroll **L**



316 Outdoor
satin black



0103.420.316@

2


Ø

H

42,4 x 2,0 81

Endcap - Flat

L



316 Outdoor
satin black



Ø


0110.420.316@

2

42,4 x 2,0

Endcap - Arched

L



316 Outdoor
satin black



Ø

H


0111.420.316@

2

42,4 x 2,0 9

Baluster Post

S



316 Outdoor
satin black



Ø


0163.420.316@

2

42,4 x 2,0

Flange

S



316 Outdoor
satin black



Ø


5506.426.316@

2

42,4

Screw Cap

S



316 Outdoor
satin black



Ø


5506.600.316@

2

60 M12

Baluster Post

S



316 Outdoor
satin black



B

D


Ø

0165.420.316@

2

75 100 42,4 x 2,0

Flange Cover



316 Outdoor
satin black



D

Ø


0186.426.316@

2

105 42,4

Baluster Clamp 45/60 RD 150

S



316 Outdoor
satin black



Ø

L

0521.424.316@

1

42,4 45

Baluster Clamp 45 - 120 mm **S**



316 Outdoor
satin black




Ø

0533.424.316@

1

42

Wall Flange **S**



316 Outdoor
satin black



D

Ø

H

0183.426.316@


1

95

42,4

30

Wall Flange - Connector **S L**



316 Outdoor
satin black




Ø

0184.420.316@

1

42,4 x 2,0

Wall Adaptor **S**



316 Outdoor
satin black




Ø

0192.424.316@

1

42,4

Wall Adaptor Adjustable **S L**



316 Outdoor
satin black



D

Ø

H

0193.420.316@


1

72

42,4 x 2,0

27

Adaptor - Tube **S L**



316 Outdoor
satin black



D

Ø


0503.424.316@

2

42,4 x 2,0

42,4

Glass Adaptor Ø 50 - Flat **S**




316 Outdoor
satin black



0518.000.316@


4

Crossbarholder Connector Ø 22 - Tube **S**




316 Outdoor satin black		Ø	D
0611.000.316@	10	12	
0611.424.316@	10	12	42,4

Bar Holder Ø 22 - Flat **S**




316 Outdoor satin black		Ø	D
0650.000.316@	10	12	
0650.424.316@	10	12	42,4

Bar Holder Adjustable Ø 22 - Flat **S**




316 Outdoor satin black		Ø	D
0646.000.316@	8	12	
0646.424.316@	8	12	42,4

End Cap **L**




316 Outdoor satin black		Ø
1112.426.316@	2	42,4 x 1,5
1112.486.316@	2	48,3 x 1,5

Wall Flange **L S**




316 Outdoor satin black		D	Ø	H
1183.426.316@	1	95	42,4	30
1183.486.316@	1	100	48,3	35

Tube Connector **L**




316 Outdoor satin black		Ø
1201.425.316@	2	42,4 x 1,5
1201.485.316@	2	48,3 x 1,5

Tube Connector Vertical 90° **L**



316 Outdoor satin black		Ø	H
1203.425.316@	2	42,4 x 1,5	30
1203.485.316@	2	48,3 x 1,5	35


Tube Connector Horizontal 90° **L S**



316 Outdoor satin black		W	H
1202.425.316@	2	42,4x1,5	30
1202.485.316@	2	48,3x1,5	35

Wall Flange Square

L S



316 Outdoor
satin black




H W D
28 40x40x1,5 95x95

4183.404.316@ 2

End Cap Square

L



316 Outdoor
satin black




W
40x40x1,5

4112.404.316@ 2

Tube Connector

L



316 Outdoor
satin black




W
40x40x1,5

4201.404.316@ 2

Tube Connector 90° Vertical

L



316 Outdoor
satin black




W H
40x40x1,5 30

4203.404.316@ 2

Tube Connector Horizontal 90°

L



316 Outdoor
satin black




W H
40x40x1,5 50

4202.404.316@ 2

Tube Connector

L



316 Outdoor
satin black




W H
40x40x2,0 30

4201.420.316@ 2

End Cap Square

L



316 Outdoor
satin black




W
40x40x2,0

4110.420.316@ 2

Tube Connector 90°

L



316 Outdoor
satin black




W H
40x40x2,0 60

4203.420.316@ 2

Tube Connector T

L



316 Outdoor
satin black



W H


4206.420.316@

2

40x40x2,0 60

Tube Connector Adjustable

L



316 Outdoor
satin black



W H



4221.420.316@

2

40x40x2,0 60

Handrail Bracket - Tube

S



316 Outdoor
satin black



Ø


4321.424.316@

2

42,4

Handrail Bracket - Flat

S



316 Outdoor
satin black




4321.000.316@

2

Handrail Bracket - Tube

S



316 Outdoor
satin black



Ø


4325.420.316@

2

42,4

Handrail Bracket - Flat

S



316 Outdoor
satin black




4325.000.316@

2

Handrail Support - Tube

L

S



316 Outdoor
satin black



Ø

W H

4342.420.316@


2

42,4 40x40x2,0 79

Handrail Support Adjustable - Flat

L

S



316 Outdoor
satin black




W H

4342.000.316@

2


40x40x2,0 81

Handrail Support Adjustable - Tube **L S**



316 Outdoor satin black		W	H
4442.000.316@	2	40x40x2,0	81

Handrail Support Adjustable - Tube **L S**



316 Outdoor satin black		Ø	W	H
4442.420.316@	2	42,4	40x40x2,0	79

Handrail Support Tube - 90° **L S**




316 Outdoor satin black		Ø	W	H
4342.429.316@	2	42,4	40x40x2,0	79

Handrail Support - Flat - 90° **L S**





316 Outdoor satin black		W	H
4342.009.316@	2	40x40x2,0	81

Wall Flange - Connector **L S**




316 Outdoor satin black		D	W	H
4184.420.316@	2	95x95	40x40x2,0	6

Wall Flange **S**




316 Outdoor satin black		D	W	H
4183.420.316@	2	95x95	40x40	28

Flange Cover



316 Outdoor satin black		W
4187.420.316@	2	40x40


Baluster Clamp **S**



316 Outdoor satin black		W
4521.404.316@	1	40x40

Baluster Post

S



316 Outdoor
satin black



W L


4164.420.316@

1

40x40x2,0 100

Glass Clip Model 00

S



316 Outdoor
satin black



Ø

00.A4.000.05

4


00.A4.042.05

4

42,4

Glass Clip Model 02

S



316 Outdoor
satin black



Ø

02.A4.000.05

4


02.A4.042.05

4

42,4

Glass Clip Model 03

S



316 Outdoor
satin black



Ø

03.A4.000.05

4


03.A4.042.05

4

42,4

Glass Clip Model 06

S



316 Outdoor
satin black



Ø

06.A4.000.05


4

06.A4.042.05

4

42,4

Round Slotted Tube





316 Outdoor
satin black

H B Ø

T.316L RD 42,4x24x24x1,5 MM 3 mtr 24 24 42,4

T.316L RD 48,3x27x30x1,5 MM 3 mtr 27 30 48,3

Railing Tube Round





316 Outdoor
satin black

Ø T

T.316L RD 42,4x2,0 MM 3 mtr 42,4 2,0

Slotted Tube Square




316 Outdoor
satin black

H B D

T.316L 40x40x24x24x1,5 MM 3 mtr 24 24 40

Tube Square




316 Outdoor
satin black

W D

T.316L 40x40x2,0 MM 3 mtr 40x40 2,0

Round Bar



316 Outdoor
satin black

Ø

T.316**L**RD 12 MM 3 mtr 12

UNIQ

SMART BALUSTRADES



SMART CLAMPING



The patented clamping strip holds the glass securely in place. The lack of wedges means no stress in the glass, with the tension distributed evenly across the entire pane.

ADJUSTABLE



The profiles are secured via adjustable nuts, meaning that the profiles are always level and the glass is always straight no matter, how uneven the surface.

QUICK ASSEMBLY



Assembling a balustrade has never been so quick and easy: secure the profile, put the glass in place, lower the clamping strip and tighten the screws. That's it!

SAFE



The meticulously designed shape and function of the profile guarantees the glass will never come loose. It's the ultimate in safety.

LIGHT AND STRONG




The sophisticated hollow design makes the profiles significantly lighter and stronger. It's the best choice both structurally and financially.

ELEGANT FINISHING



The lack of rubbers ensures a stylish look. Various covers are available for finishing the floor and front side: simply click them into place.

www.uniq-balustrades.com





TALITECH
UNIT C3, GRANGE IND EST.,
BALLYCURREEN
CORK T12 XR98
IRELAND
T 021 4322848
F 021 4322850
INFO@TALITECH.COM
WWW.TALITECH.COM